

AUDI

50



◀ 1

1 ▶



17VW2001

17VW2001

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17VW2001	Tie Rod End	M14x1,5 RHT	811 419 812

80

80 (81,82,B1)

80 Quattro (80,82,B1)



05 / 1972 - 07 / 1978

Chassis → 81 - A - 0173 - 588



◀ 5

5 ▶



17VW2001

17VW2001

Chassis 81 - A - 0173 - 589 →



◀ 6

6 ▶



17VW2005

17VW2005

PS
01 / 1973 - 08 / 1977



◀ 2

2 ▶



10AU0001

10AU0001

PS 09 / 1977 - 07 / 1978



◀ 3

4 ▶



10AU0200

10AU0201

MS
09 / 1977 - 07 / 1978



◀ 1

1 ▶



10AU0000

10AU0000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU0000	Ball Joint Lower	Mechanical S. (17 mm)	823 407 365 E
2	10AU0001	Ball Joint Lower	Power S. (15 mm)	823 407 365 A
3	10AU0200	Ball Joint Lower Left	Power S. (17 mm)	855 407 365 A
4	10AU0201	Ball Joint Lower Right	Power S. (17 mm)	855 407 366 A
5	17VW2001	Tie Rod End	M14x1,5 RHT	811 419 812
6	17VW2005	Tie Rod End	M14x1,5 RHT	811 419 812 A



Chassis -->81 - A - 0173 - 588



4

17VW2001



4

17VW2001

Chassis 81 - A - 0173 - 589 -->



5

17VW2005



5

17VW2005

PS 09 / 1977 >



2

10AU0200



3

10AU0201

MS
08 / 1978 - 07 / 1986



1

10AU0000



1


10AU0000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU0000	Ball Joint Lower	Mechanical S. (17 mm)	823 407 365 E
2	10AU0200	Ball Joint Lower Left	Power S. (17mm)	823 407 365 A
3	10AU0201	Ball Joint Lower Right	Power S. (17mm)	855 407 366 A
4	17VW2001	Tie Rod End	M14x1,5 RHT	811 419 812
5	17VW2005	Tie Rod End	M14x1,5 RHT	811 419 812 A

80 (89,89Q,8A,B3)
80 Quattro (89,89Q,8A,B3)



06 / 1986 - 10 / 1991



MS --> Chassis 89 - J - 373598



PS
06/1986 - 07/1989



MS
Chassis 89-J-373599 -->



PS 01/1988 - 12/1989
Chassis 85 - J - 373599 -->




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU01	Ball Joint Lower Right	Power S. (19mm)	893 407 366 F
2	10AU04	Ball Joint Lower Left	Power S. (19mm)	893 407 365 F
3	10AU05	Ball Joint Lower Left	Mechanical S. (19mm)	893 407 366 A
4	10AU06	Ball Joint Lower Right	Mechanical S. (19mm)	893 407 365 A
5	10AU0200	Ball Joint Lower Left	Power S. (17mm)	855 407 365 A
6	10AU0201	Ball Joint Lower Right	Power S. (17mm)	855 407 366 A
7	10AU0501	Ball Joint Lower Left	Mechanical S. (17mm)	855 407 365
8	10AU0601	Ball Joint Lower Right	Mechanical S. (17mm)	855 407 366
9	17VW2005	Tie Rod End	M14X1,5 RHT	811 419 812 A
10	26AU0100	Stabiliser Link	M14x1,5 RHT	8A0 407 465 C

AUDI
80

80 (8C2,B4)
80 Avant (8C5,B4)
80 Quattro (8C2 - 8C5,B4)

09/1991 - 12/1994
09 / 1991 - 01 / 1996
09 / 1991 - 07 / 1996



Quattro



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1500	Ball Joint Lower Left	17 mm	893 407 365 B
2	10AU1501	Ball Joint Lower Right	17 mm	893 407 366 B
3	17VW2005	Tie rod End	M14x1,5 RHT	811 419 812 A
4	26AU0100	Stabiliser Link	M14x1,5 RHT	8A0 407 465 C
5	38AU0100	Stabiliser Mounting	Ø 10	8D0 511 327 C



17VW2005



17VW2005

PS



10AU0200



10AU0201

MS



10AU0000



10AU0000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU0000	Ball Joint Lower	Mechanical S. (17mm)	823 407 365 E
2	10AU0200	Ball Joint Lower Left	Power S. (17mm)	855 407 365 A
3	10AU0201	Ball Joint Lower Right	Power S. (17mm)	855 407 366 A
4	17VW2005	Tie Rod End	M14x1,5 RHT	811 419 812 A

90 (89,89Q,8A,B3)

90 Quattro (89, 89Q, 8A, B3)



04 / 1987 - 07 / 1991



26AU0100



17VW2005

9

9



17VW2005

10



26AU0100

MS 2.0 / 2.3



10AU06

4

3



10AU05

PS 2.0 / 2.2 / 2.3
Chassis > 89 - J - 373598



10AU0200

5

6



10AU0201

PS 2.0 / 2.3 + Quattro
Chassis 89 - J - 373599



10AU04

2

1



10AU01

PS 2.3 + Quattro
Chassis 89 - J - 351001 >



10AU1500

7

8



10AU1501

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU01	Ball Joint Lower Right	Power S. (19mm)	893 407 366
2	10AU04	Ball Joint Lower Left	Power S. (19mm)	893 407 365
3	10AU05	Ball Joint Lower Right	Mechanical S. (19mm)	893 407 366 A
4	10AU06	Ball Joint Lower Left	Mechanical S. (19mm)	893 407 365 A
5	10AU0200	Ball Joint Lower Left	Power S. (17mm)	855 407 365 A
6	10AU0201	Ball Joint Lower Right	Power S. (17mm)	855 407 366 A
7	10AU1500	Ball Joint Lower Left	Power S. (17mm)	895 407 365
8	10AU1501	Ball Joint Lower Right	Power S. (17mm)	895 407 366
9	17VW2005	Tie Rod End	M14x1,5 RHT	811 419 812 A
10	26AU0100	Stabiliser Link	M14x1,5 RHT	8A0 407 465 C

AUDI
100

100 (44 - 44Q,C3)
100 Avant (44 - 44Q,C3)
100 Quattro

08 / 1982 - 11 / 1990



-->Chassis 44 - E - 068 - 500
-->11 / 1983



17AU07

4

3



17AU06

Chassis 44 - E - 068 - 501 -->
11/ 1983 -->



17AU05

2

1



17AU04

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17AU04	Tie Rod End Right	M16x1,5 RHT	443 419 812 D
2	17AU05	Tie Rod End Left	M16x1,5 RHT	443 419 811 D
3	17AU06	Tie Rod End Right	M14x1,5 RHT	443 419 812 C
4	17AU07	Tie Rod End Left	M14x1,5 RHT	443 419 811 C

100 (4A,C4)
100 Avant (4A,C4)
100 Quattro

12 / 1990 - 07 / 1994
12 / 1990 - 11 / 1994
12 / 1990 - 11 / 1994



-->Chassis 4A - P - 001 - 983
-->07 / 1992



17AU07

4

3



17AU06

Chassis 4AP001984 ->
07/ 1992 -->



17AU05

2

1



17AU04

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17AU04	Tie Rod End Right	M16x1,5 RHT	443 419 812 D
2	17AU05	Tie Rod End Left	M16x1,5 RHT	443 419 811 D
3	17AU06	Tie Rod End Right	M14x1,5 RHT	443 419 812 C
4	17AU07	Tie Rod End Left	M14x1,5 RHT	443 419 811 C

AUDI

200

200 (44,44Q)
200 Avant (44,44Q)
200 Quattro



06 / 1983 - 12 / 1991
09 / 1983 - 12 / 1991
08 / 1983 - 12 / 1991



◀ 2

1 ▶



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17AU04	Tie Rod End Right	M16x1,5 RHT	443 419 812 D
2	17AU05	Tie Rod End Left	M16x1,5 RHT	443 419 811 D

AUDI

A1


A1 (8X1,8XK)

A1 Sportback (8XA , 8XF)



05/2010 - 10/2018

11/2011 - 10/2018



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	17VW2010	Tie Rod End Left		6R0 423 811
4	17VW2011	Tie Rod End Right		6R0 423 812
5	20VW2020	Axial Joint	th:MM14x1.5 RHT L:312,5mm	6R0 423 810
8	26VW2010	Stabiliser Link	L:269,5mm	6Q0 411 315 N
9	30AU1200	Track Control Arm Left		6R0 407 151 F
10	30AU1201	Track Control Arm Right		6R0 407 152 F
11	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
12	38AU1205	Silentblock for TCA	di:Ø13 do:Ø60	1J0 407 181
13	38AU1210	Silentblock for TCA	di:Ø13,5 do:Ø60,5	6R0 407 181 B
14	38AU1215	Stabiliser Mounting	di:Ø17	6Q0 411 314 M

AUDI

A1

A1 (8X1,8XK)

A1 Sportback (8XA , 8XF)



05/2010 - 10/2018

11/2011 - 10/2018

Quattro
-- >04 / 2015



◀ 6

26VW1605

6 ▶



26VW1605

Quattro
11 / 2014 -->



◀ 7

26VW1700

7 ▶



26VW1700

◀ 15




38VW1502

15 ▶




38VW1502

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
6	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
7	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465 C
15	38VW1502	Mounting Axle Body	di:Ø12,5 do:Ø69,2	1J0 501 541 D



1.5-2.0L 35&40 TFSI



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
6	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
7	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0407183E

AUDI

A2

A2 (8Z0) 1.2 TDI



03/2001 - 08/2005



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17VW1260	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 811 B
2	17VW1261	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 812 B
3	20AU1100	Axial Joint	th:MM14x1.5 RHT L:315mm	8Z0 423 810 C

A2 (8Z0) 1.4 - 1.6 [PS]



03/2001 - 08/2005



Exc. Electro Hydraulic



Exc. Electro Hydraulic


NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17VW1260	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 811 B
2	17VW1261	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 812 B
3	20AU1100	Axial Joint	th:MM14x1.5 RHT L:315mm	8Z0 423 810 C
4	26VW2010	Stabiliser Link	L:269,5mm	6Q0 411 315 N
5	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
6	38VW2000	Stabiliser Mounting	di:Ø20,8	8Z0 411 314 B

AUDI

A3

A3 (8L1)
A3 Quattro

09 / 1996 - 05 / 2003



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
11	26VW1500	Stabiliser Link	L:105mm	1J0 411 315 E
12	26VW1502	Stabiliser Link	L:105mm Plastic	1J0 411 315 K
13	26VW1510	Stabiliser Link Left	L:335,5mm	1J0 411 315 D
14	26VW1511	Stabiliser Link Right	L:335,5mm	1J0 411 316 D
23	38AU3000	Stabiliser Mounting	di:Ø20,8	1J0 411 314 T
24	38AU3002	Stabiliser Mounting	di:Ø19,7	1J0 411 314 P
25	38AU3003	Stabiliser Mounting	di:Ø20,8	1J0 411 314 R
26	38AU3010	Mounting Axle Body	di:Ø14,5 do:Ø29	1J0 411 327
32	526VW1500	Stabiliser Link		1J0 411 315 J

AUDI


A3

A3 (8L1)
A3 Quattro




09 / 1996 - 05 / 2003

-- > Chassis 8L - W - 050-421



Chassis 8L - W - 050-422 -- >




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1501	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15	1J0 407 366 A
2	10VW1502	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15	1J0 407 365 A
3	17VW1235	Tie Rod End Right	c:Ø13,3 th:FM14x1,5 RHT	1J0 422 812 A
4	17VW1255	Tie Rod End Left	c:Ø13,3 th:FM14x1,5 RHT	1J0 422 811 A
5	17VW1260	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 811 B
6	17VW1261	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 812 B
7	20VW0500	Axial Joint	th:MM16x1,5 RHT L:318,5mm	1J0 422 803 B
8	20VW0501	Axial Joint	th:MM16x1,5 RHT L:335,5mm	1J0 422 803 A
15	29VW1260	Tie Rod Left		1J0 422 803 H
16	29VW1261	Tie Rod Right		1J0 422 804 H
17	30VW1501	Track Control Arm Right		1J0 407 151 C S1
18	30VW1502	Track Control Arm Left		1J0 407 151 C S2
20	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
21	38AU1205	Silentblock for TCA	di:Ø13 do:Ø60	1J0 407 181
22	38AU1210	Silentblock for TCA	di:Ø13,5 do:Ø60,5	6R0 407 181 B

AUDI

A3

A3 (8L1)
A3 Quattro

09 / 1996 - 05 / 2003




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
9	26AU1200	Stabiliser Link Rear	L:175mm	1J0 505 466 B
10	26AU1205	Stabiliser Link Rear	L:194,5mm	1J0 505 466 C
19	38AU0100	Stabiliser Mounting	di:Ø10,8	8D0 511 327 C
27	38AU5000	Silentblock for TCA		8N0 407 182 A
28	38VW1270	Strut Mount		1J0 412 331 B
29	38VW1271	Strut Mount Kit		1J0 412 331 B S1
30	38VW1500	Mounting Axle Body		1J0 501 541 C
31	38VW1502	Mounting Axle Body		1J0 501 541 D

AUDI
A3

A3 (8P1)
A3 SPORTSBACK (8PA)
A3 CABRIO (8P7)

05 / 2003 - 08 / 2012
09 / 2004 - 03 / 2013
04 / 2008 - 05 / 2013



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
4	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
5	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
6	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
7	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
8	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
10	30VW1600	Track Control Arm Left		1K0 407 151 AA
11	30VW1601	Track Control Arm Right		1K0 407 152 AA
13	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
14	38VW1261	Silentblock for TCA		1K0 199 232 J
15	38VW1262	Silentblock for TCA		1K0 199 231 J

AUDI
A3

A3 (8P1)
A3 SPORTSBACK (8PA)
A3 CABRIO (8P7)

05 / 2003 - 08 / 2012
09 / 2004 - 03 / 2013
04 / 2008 - 05 / 2013



9



9



12



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
9	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
12	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A

AUDI
A3

A3 (8V1, 8VK)
A3 SPORTSBACK (8VA,8VF)
A3 CABRIO (8V7,8VE)
A3 BERLINE (8VS,8VM)

04/2012 -->
09/2012 -->
10/2013 -->
05/2013 -->



CAST IRON WHEEL BEARING HOUSING



20AU1200

CAST IRON WHEEL BEARING HOUSING



20AU1200

ALU WHEEL BEARING HOUSING



17AU1202

ALU WHEEL BEARING HOUSING



17AU1203



26VW1600



26VW1600

CAST IRON WHEEL BEARING HOUSING



30VW1602



38AU3020



30VW1603



38AU3021



10VW1600



10VW1601

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
5	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
6	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
7	17AU1202	Tie Rod End Left		1K0 423 812 J
8	17AU1203	Tie Rod End Right		1K0 423 811 J
9	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
10	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
12	30VW1602	Track Control Arm Left		5Q0 407 151 J S1
13	30VW1603	Track Control Arm Right		5Q0 407 152 J S1
17	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
18	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E


AUDI
A3

A3 (8V1)
A3 SPORTSBACK (8VA)
A3 CABRIO (8V7)
A3 BERLINE (8VS)

04 / 2012 -->
09 / 2012 -->
05 / 2013 -->
10 / 2013 -->



ALU WHEEL BEARING HOUSING




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
4	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
11	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465 C
14	30VW1612	Track Control Arm Left		5Q0 407 151 J S2
15	30VW1613	Track Control Arm Right		5Q0 407 152 J S2
16	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
17	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
18	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E

AUDI

A4

A4 (8D2 - B5)
A4 AVANT (8D5 - B5)
A4 QUATTRO (B5)

01 / 1995 - 11 / 2000
07 / 1995 - 09 / 2001
01 / 1995 - 11 / 2000




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
2	17VW2500	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
3	17VW2501	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
4	20VW2500	Axial Joint	th:MM16x1,5 RHT L:130mm	8E0 422 821
12	26AU0210	Stabiliser Link Left	L:90mm	8D0 411 317 D
13	26AU0211	Stabiliser Link Right	L:90mm	8D0 411 318 D
14	29VW2500	Tie Rod		4B0 419 801 B

AUDI

A4

A4 (8D2 - B5)
A4 AVANT (8D5 - B5)
A4 QUATTRO (B5)

01 / 1995 - 11 / 2000
07 / 1995 - 09 / 2001
01 / 1995 - 11 / 2000




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	13AU0200	Suspension Kit		8D0 498 998
5	23AU0200	TCA Right	c:Ø16 L:272,5mm	8E0 407 506 A
6	23AU0201	TCA Left	c:Ø16 L:272,5mm	8E0 407 505 A
7	23AU0203	TCA Right	c:Ø16 L:250mm	8E0 407 510 P
8	23AU0204	TCA Left	c:Ø16 L:250mm	8E0 407 509 P
9	23AU0220	TCA Right	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 694 AG
10	23AU0221	TCA Left	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 693 AG
11	23AU0230	TCA Lower	c:1:6 th:M12x1.5 RHT L:269mm	4D0 407 151 P
15	38AU0100	Stabiliser Mounting	di:Ø10,8	8D0 511 327 C
16	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C
17	38AU0230	Silentblock for TCA		4D0 407 182 G
18	38AU0231	Silentblock for TCA		4D0 407 181 H
19	38AU4000	Silentblock for TCA	di:Ø12,2 do:Ø65,1	4D0 407 183 AC
20	38AU4001	Silentblock for TCA	di:Ø12,1 do:Ø64	4D0 407 183 AC

AUDI

A4

A4 (8E2 - B6)
A4 AVANT (8E5 - B6)
A4 QUATTRO (B6)

11 / 2000 - 12 / 2004
04 / 2001 - 12 / 2004
04 / 2001 - 12 / 2004





NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
2	17VW2500	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
3	17VW2501	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
4	20VW2500	Axial Joint	th:MM16x1,5 RHT L:130mm	8E0 422 821
5	23AU0200	TCA Right	c:Ø16 L:272,5mm	8E0 407 506 A
6	23AU0201	TCA Left	c:Ø16 L:272,5mm	8E0 407 505 A
7	23AU0203	TCA Right	c:Ø16 L:250mm	8E0 407 510 P
8	23AU0204	TCA Left	c:Ø16 L:250mm	8E0 407 509 P
13	26AU0213	Stabiliser Link Left	L:90mm	8E0 411 317
14	26AU0214	Stabiliser Link Right	L:90mm	8E0 411 318
15	29VW2500	Tie Rod		4B0 419 801 B
18	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C

AUDI
A4

A4 (8E2 - B6)
A4 AVANT (8E5 - B6)
A4 QUATTRO (B6)

11 / 2000 - 12 / 2004
04 / 2001 - 12 / 2004
04 / 2001 - 12 / 2004



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	13AU0202	Suspension Kit		8E0 407 151 R S3
9	23AU0220	TCA Right	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 694 AG
10	23AU0221	TCA Left	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 693 AG
11	23AU0240	TCA Lower	c:1:6 th:M12x1.5 RHT L:363mm	8E0 407 151 R
12	26AU0200	Stabiliser Link Rear		8E0 505 465 AF
16	30AU0200	TCA Left Rear		8E0 505 323 M
17	30AU0201	TCA Right Rear		8E0 505 324 M
19	38AU0230	Silentblock for TCA		4D0 407 182 E
20	38AU4000	Silentblock for TCA	di:Ø12,2 do:Ø65,1	4D0 407 183 AC
21	38AU4001	Silentblock for TCA	di:Ø12,1 do:Ø64	4D0 407 183 AC
22	38AU4020	Silentblock for TCA	di:Ø12,4 do:Ø40,3	8E0 407 181 C

AUDI

A4

A4 (8EC - B7)
A4 AVANT (8ED - B7)
A4 CABRIO (8H7 / 8HE - B7)
A4 QUATTRO (B7)

11 / 2004 - 06 / 2008
11 / 2004 - 06 / 2008
04 / 2002 - 03 / 2009
11 / 2004 - 06 / 2008



12

26AU0213



13

26AU0214



2

17VW2505



3

20VW2500



3

20VW2500



2

17VW2505



14

29VW2505



14

29VW2505



5

23AU0201



38AU0101

17



38AU0101



4

23AU0200



7

23AU0204



6

23AU0203


NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
2	17VW2505	Tie Rod End	th:MM14x1,5 RHT	4F0 498 811 A
3	20VW2500	Axial Joint	th:MM16x1,5 RHT L:130mm	8E0 422 821
4	23AU0200	TCA Right	c:Ø16 L:272,5mm	8E0 407 506 A
5	23AU0201	TCA Left	c:Ø16 L:272,5mm	8E0 407 505 A
6	23AU0203	TCA Right	c:Ø16 L:250mm	8E0 407 510 P
7	23AU0204	TCA Left	c:Ø16 L:250mm	8E0 407 509 P
12	26AU0213	Stabiliser Link Left	L:90mm	8E0 411 317
13	26AU0214	Stabiliser Link Right	L:90mm	8E0 411 318
14	29VW2505	Tie Rod		4B0 419 801 M
17	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C

AUDI

A4

A4 (8EC - B7)
A4 AVANT (8ED - B7)
A4 CABRIO (8H7 / 8HE - B7)
A4 QUATTRO (B7)

11 / 2004 - 06 / 2008
11 / 2004 - 06 / 2008
04 / 2002 - 03 / 2009
11 / 2004 - 06 / 2008



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	13AU0203	Suspension Kit		8E0 407 693 AL S3
8	23AU0222	TCA Left	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 693 AA
9	23AU0223	TCA Right	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 694 AA
10	23AU0240	TCA Lower	c:1:6 th:M12x1.5 RHT L:363mm	8E0 407 151 R
11	26AU0200	Stabiliser Link Rear		8E0 505 465 AF
15	30AU0200	TCA Left Rear		8E0 505 323 M
16	30AU0201	TCA Right Rear		8E0 505 324 M
18	38AU0222	Silentblock for TCA		4F0 407 183 A
19	38AU0230	Silentblock for TCA		4D0 407 182 E
20	38AU04020	Silentblock for TCA	di:Ø12,4 do:Ø40,3	8E0 407 181 C

AUDI

A4

A4 (8K2 - B8)
A4 AVANT (8K5 - B8)
A4 ALLROAD (8KH - B8)
A4 QUATTRO (8K2 - B8)

11 / 2007 - 12 / 2015
04 / 2008 - 12 / 2015
11 / 2007 - 12 / 2015
04 / 2009 - 12 / 2015



26AU2600
Plastic

19

19



26AU2600
Plastic

Hydro PS.



17AU2500

3



20AU2500

7



20AU2500

4



17AU2501

Elect. PS.



17AU2502

5



20AU2500

7



20AU2500

6



17AU2503

UPPER Exc. Allroad



23AU0102

10



38AU0101

11



23AU0103

20



23AU0100

8



38AU0101

9



23AU0101

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17AU2500	Tie Rod End Left	Tie Rod End Left	8K0 422 817 B
4	17AU2501	Tie Rod End Right	Tie Rod End Right	8K0 422 818 B
5	17AU2502	Tie Rod End Left	Tie Rod End Left	4G0 423 811 A
6	17AU2503	Tie Rod End Right	Tie Rod End Right	4G0 423 812 A
7	20AU2500	Axial Joint	Axial Joint	4H0 422 810 A
8	23AU0100	TCA Left	TCA Left	8K0 407 509 A
9	23AU0101	TCA Right	TCA Right	8K0 407 510 A
10	23AU0102	TCA Left	TCA Left	8K0 407 505 A
11	23AU0103	TCA Right	TCA Right	8K0 407 506 A
19	26AU2600	Stabiliser Link	Stabiliser Link	8K0 411 317 D
20	38AU0101	Silentblock for TCA	Silentblock for TCA	8D0 407 515 C

A4

A4 (8K2 - B8)

A4 AVANT (8K5 - B8)

A4 ALLROAD (8KH - B8)


A4 QUATTRO (8K2 - B8)

11 / 2007 - 12 / 2015

04 / 2008 - 12 / 2015

11 / 2007 - 12 / 2015

04 / 2009 - 12 / 2015



26AU2500			26AU2500	
NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU2500	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø13,8 do:Ø42	8K0 407 689 G
2	10AU2501	Ball Joint		4G0 407 689 C
12	23AU0110	TCA Right	c:1:5 th:M12x1.5 RHT L:421,2mm	8K0 407 694 N
13	23AU0111	TCA Left	c:1:5 th:M12x1.5 RHT L:421,2mm	8K0 407 693 N
14	23AU2500	TCA Left		8K0 407 151 D
15	23AU2501	TCA Right		8K0 407 152 D
16	23AU2502	TCA Left		8K0 407 151 F
17	23AU2503	TCA Right		8K0 407 152 F
18	26AU2500	Stabiliser Link Rear	L:60,5mm Plastic	8K0 505 465 G
21	38AU0110	Silentblock for TCA	di:Ø12,2 do:Ø65	8K0 407 183 A
22	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B
23	38AU2501	Silentblock for TCA	di:Ø12,1 do:Ø50,4	8K0 407 182 B

AUDI

A4

A4 (8W2 - B9)
A4 AVANT (8W5 - B9)
A4 QUATTRO (8W2 - B9)



05 / 2015 -- >
08 / 2015 -- >
05 / 2015 -- >



2

26AU2600



2

26AU2600

LOWER

Ø14



1

10AU2501

Ø14



1

10AU2501



3

38AU2500



4

38AU2501



3

38AU2500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU2501	Ball Joint		4G0 407 689 C
2	26AU2600	Stabiliser Link	L:170mm Plastic	8K0 411 317 D
3	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B
4	38AU2501	Silentblock for TCA	di:Ø12,1 do:Ø50,4	8K0 407 182 B

AUDI
A5

A5 COUPE (8T3)
A5 SPORTBACK (8TA)
A5 CABRIO (8F7)

06/2007 - 01/2017
09/2009 - 01/2017
03/2009 - 01/2017



Hydro PS.



3



7



4



17AU2500

20AU2500

20AU2500

17AU2501

Elect. PS.



5



7



6



17AU2502

20AU2500

20AU2500

17AU2503

UPPER
Exc. Allroad



10



20



11



8



20



9

23AU0102

38AU0101

23AU0103

23AU0100

38AU0101


23AU0101

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17AU2500	Tie Rod End Left		8K0 422 817 B
4	17AU2501	Tie Rod End Right		8K0 422 818 B
5	17AU2502	Tie Rod End Left		4G0 423 811 A
6	17AU2503	Tie Rod End Right		4G0 423 812 A
7	20AU2500	Axial Joint	th:MM16x1,5 RHT L:225,5mm	4H0 422 810 A
8	23AU0100	TCA Left	c:Ø16 L:237mm	8K0 407 509 A
9	23AU0101	TCA Right	c:Ø16 L:237mm	8K0 407 510 A
10	23AU0102	TCA Left	c:Ø16 L:270mm	8K0 407 505 A
11	23AU0103	TCA Right	c:Ø16 L:270mm	8K0 407 506 A
19	26AU2600	Stabiliser Link	L:170mm Plastic	8K0 411 317 D
20	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C

AUDI
A5

A5 COUPE (8T3)
A5 SPORTBACK (8TA)
A5 CABRIO (8F7)

06/2007 - 01/2017
09/2009 - 01/2017
03/2009 - 01/2017




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU2500	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø13,8 do:Ø42	8K0 407 689 G
2	10AU2501	Ball Joint		4G0 407 689 C
12	23AU0110	TCA Right	c:1:5 th:M12x1.5 RHT L:421,2mm	8K0 407 694 N
13	23AU0111	TCA Left	c:1:5 th:M12x1.5 RHT L:421,2mm	8K0 407 693 N
14	23AU2500	TCA Left		8K0 407 151 D
15	23AU2501	TCA Right		8K0 407 152 D
16	23AU2502	TCA Left		8K0 407 151 F
17	23AU2503	TCA Right		8K0 407 152 F
18	26AU2500	Stabiliser Link Rear	L:60,5mm Plastic	8K0 505 465 G
21	38AU0110	Silentblock for TCA	di:Ø12,2 do:Ø65	8K0 407 183 A
22	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B
23	38AU2501	Silentblock for TCA	di:Ø12,1 do:Ø50,4	8K0 407 182 B

AUDI

A5

A5 COUPE (F53)
A5 SPORTBACK (F5A)
A5 CABRIO (F57)

06/2016 -->
09/2016 -->
11/2016 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU2501	Ball Joint		4G0 407 689 C
2	26AU2600	Stabiliser Link	L:170mm Plastic	8K0 411 317 D
3	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B
4	38AU2501	Silentblock for TCA	di:Ø12,1 do:Ø50,4	8K0 407 182 B

A6

A6 (4A2,C4)
A6 AVANT (4A - C4)
A6 QUATTRO (C4)

06 / 1994 - 10 / 1997
06 / 1994 - 12 / 1997
06 / 1994 - 12 / 1997




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17AU04	Tie Rod End Right	c:Ø12,6 th:FM16x1,5 RHT	443 419 812 D
2	17AU05	Tie Rod End Left	c:Ø12,6 th:FM16x1,5 RHT	443 419 811 D
3	26AU0204	Stabiliser Link Rear	L:56,5mm Plastic	8E0 505 465 C

AUDI

A6

A6 (4B2, C5)
A6 AVANT (4B2, C5)
A6 ALLROAD (4BH - C5)
A6 QUATTRO (C5)

01 / 1997 - 01 / 2005
01 / 1997 - 01 / 2005
05 / 2000 - 08 / 2005
01 / 1997 - 01 / 2005



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17VW2500	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
2	17VW2501	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
3	17VW2505	Tie Rod End	th:MM14x1,5 RHT	4F0 498 811 A
4	20VW2500	Axial Joint	th:MM16x1,5 RHT L:130mm	8E0 422 821
5	23AU0200	TCA Right	c:Ø16 L:272,5mm	8E0 407 506 A
6	23AU0201	TCA Left	c:Ø16 L:272,5mm	8E0 407 505 A
7	23AU0203	TCA Right	c:Ø16 L:250mm	8E0 407 510 P
8	23AU0204	TCA Left	c:Ø16 L:250mm	8E0 407 509 P
14	26AU0210	Stabiliser Link Left	L:90mm	8D0 411 317 D
15	26AU0211	Stabiliser Link Right	L:90mm	8D0 411 318 D
16	29VW2500	Tie Rod		4B0 419 801 B
17	29VW2505	Tie Rod		4B0 419 801 B
18	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C


AUDI
A6

A6 (4B2, C5)
A6 AVANT (4B2, C5)
A6 ALLROAD (4BH - C5)
A6 QUATTRO (C5)


01 / 1997 - 01 / 2005
01 / 1997 - 01 / 2005
05 / 2000 - 08 / 2005
01 / 1997 - 01 / 2005



LOWER Exc. Allroad



Quattro





NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
9	23AU0220	TCA Right	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 694 AG
10	23AU0221	TCA Left	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 693 AG
11	23AU0230	TCA Lower	c:1:6 th:M12x1.5 RHT L:269mm	4D0 407 151 P
12	23AU0250	TCA Lower	c:1:6 th:M12x1.5 RHT L:364mm	4B3 407 151 E
13	26AU0204	Stabiliser Link Rear	L:56,5mm Plastic	8E0 505 465 D
19	38AU4000	Silentblock for TCA	di:Ø12,2 do:Ø65,1	4D0 407 183 AC
20	38AU4001	Silentblock for TCA	di:Ø12,1 do:Ø64	4D0 407 183 AC
21	13AU0201	Suspension Kit		4B3 498 998


AUDI
A6

A6 (4F2 - C6)
A6 AVANT (4F5 - C6)
A6 ALLROAD (4FH - C6)
A6 QUATTRO (C6)

05 / 2004 - 03 / 2011
03 / 2005 - 08 / 2011
05 / 2006 - 08 / 2011
05 / 2004 - 08 / 2011



Chassis -- > 4B -5- 050-000



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17VW2505	Tie Rod End	th:MM14x1,5 RHT	4F0 498 811 A
2	20AU0200	Axial Joint		4F0 422 821 D
3	26AU0204	Stabiliser Link Rear	L:56,5mm Plastic	8E0 505 465 C
4	26AU0215	Stabiliser Link		4E0 411 317 E
5	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C

AUDI

A6

A6 (4G2, 4GC-C7)

A6 AVANT (4G5, 4GDC7)

A6 QUATTRO (C7)

A6 ALLROAD (4GH,4GJC7)

11/2010 - 09/2018

05/2011 - 09/2018

11/2010 - 09/2018

01/2019 - 09/2018



14



3

17AU2502



14



4

17AU2503

UPPER Exc. Allroad



7

23AU0102



38AU0101

15



38AU0101



8

23AU0103



5

23AU0100



6

23AU0101

LOWER

-- > 08/2011



1

10AU2500
M12



11

23AU2500

12



23AU2501

1



10AU2500
M12



38AU2500

16



38AU2501

17



38AU2500

16

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU2500	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø13,8 do:Ø42	8K0 407 689 G
3	17AU2502	Tie Rod End Left		4G0 423 811 A
4	17AU2503	Tie Rod End Right		4G0 423 812 A
5	23AU0100	TCA Left	c:Ø16 L:237mm	8K0 407 509 A
6	23AU0101	TCA Right	c:Ø16 L:237mm	8K0 407 510 A
7	23AU0102	TCA Left	c:Ø16 L:270mm	8K0 407 505 A
8	23AU0103	TCA Right	c:Ø16 L:270mm	8K0 407 506 A
11	23AU2500	TCA Left	L:360,9mm	8K0 407 151 D
12	23AU2501	TCA Right	L:360,9mm	8K0 407 152 D
14	26AU2600	Stabiliser Link	L:170mm Plastic	8K0 411 317 D
15	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C
16	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B
17	38AU2501	Silentblock for TCA	di:Ø12,1 do:Ø50,4	8K0 407 182 B

AUDI

A6

A6 (4G2, 4GC-C7)
A6 AVANT (4G5, 4GDC7)
A6 QUATTRO (C7)
A6 ALLROAD (4GH,4GJC7)



11/2010 - 09/2018
05/2011 - 09/2018
11/2010 - 09/2018
01/2019 - 09/2018



LOWER
-- > 08/2011



-- > 10/2009



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
2	10AU2501	Ball Joint		4G0 407 689 C
9	23AU0110	TCA Right	c:1:5 th:M12x1.5 RHT L:421,2mm	8K0 407 694 N
10	23AU0111	TCA Left	c:1:5 th:M12x1.5 RHT L:421,2mm	8K0 407 693 N
13	23AU2502	TCA Left		8K0 407 151 F
14	23AU2503	TCA Right		8K0 407 152 F
15	26AU2500	Stabiliser Link Rear	L:60,5mm Plastic	8K0 505 465 G
18	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B
19	38AU2501	Silentblock for TCA	di:Ø12,1 do:Ø50,4	8K0 407 182 B

AUDI

A7

A7 SPORTBACK (4GA,4GF)



10 / 2010 -->



10



3

17AU2502



10



4

17AU2503

LOWER
-- > 08/2011



1

10AU2500
M12



5

23AU2500

6



23AU2501

1



10AU2500
M12



38AU2500

11

38AU2501

12

38AU2500

11

LOWER
-- > 08/2011



2

10AU2501
M14



7

23AU2502

8



23AU2503

2



10AU2501
M14



38AU2500

11

38AU2501

12

38AU2500

11



9

26AU2500



9

26AU2500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU2500	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø13,8 do:Ø42	8K0 407 689 G
2	10AU2501	Ball Joint		4G0 407 689 C
3	17AU2502	Tie Rod End Left		4G0 423 811 A
4	17AU2503	Tie Rod End Right		4G0 423 812 A
5	23AU2500	TCA Left	L:360,9mm	8K0 407 151 D
6	23AU2501	TCA Right	L:360,9mm	8K0 407 152 D
7	23AU2502	TCA Left		8K0 407 151 F
8	23AU2503	TCA Right		8K0 407 152 F
9	26AU2500	Stabiliser Link Rear	L:60,5mm Plastic	8K0 505 465 G
10	26AU2600	Stabiliser Link	L:170mm Plastic	8K0 411 317 D
11	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B
12	38AU2501	Silentblock for TCA	di:Ø12,1 do:Ø50,4	8K0 407 182 B

AUDI

A7

A7 SPORTBACK (4KA)



10/2017 -->

Lower





NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B

AUDI


A8

A8 (4D2 - 4D8)
A8 QUATTRO

03/1994 - 09/2002



Chassis --> 4D -X- 004-999
--> 10 / 1998



38AU0101

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17VW2500	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
2	17VW2501	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
3	20VW2500	Axial Joint	th:MM16x1,5 RHT L:130mm	8E0 422 821
4	23AU0220	TCA Right	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 694 AG
5	23AU0221	TCA Left	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 693 AG
6	23AU0230	TCA Lower	c:1:6 th:M12x1.5 RHT L:269mm	4D0 407 151 P
7	29VW2500	Tie Rod		4B0 419 801 B
8	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C
9	38AU4000	Silentblock for TCA	di:Ø12,2 do:Ø65,1	4D0 407 183 AC
10	38AU4001	Silentblock for TCA	di:Ø12,1 do:Ø64	4D0 407 183 AC

AUDI
A8

A8 (4E)
A8 QUATTRO (4E)

10/2002 - 07/2010
10/2002 - 07/2010



◀ 1

26AU0215



◀ 3

38AU4000

4 ▶



38AU4001

1 ▶



26AU0215



◀ 2

38AU0101

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26AU0215	Stabiliser Link		4E0 411 317 E
2	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C
3	38AU4000	Silentblock for TCA	di:Ø12,2 do:Ø65,1	4D0 407 183 AC
4	38AU4001	Silentblock for TCA	di:Ø12,1 do:Ø64	4D0 407 183 AC

A8 (4H)
A8 QUATTRO (4H)

09/2011 -->
11/2009 -->



Hydro PS.



◀ 1

20AU2500

1 ▶



20AU2500



◀ 2

26AU2500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	20AU2500	Axial Joint	th:MM16x1,5 RHT L:225,5mm	4H0 422 810 A
2	26AU2500	Stabiliser Link	L:60,5mm Plastic	8K0 505 465 G



26AU0100

◀ 4



26AU0100

4 ▶



17VW2005

◀ 3



17VW2005

3 ▶



10AU1500

◀ 1



10AU1501

2 ▶

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1500	Ball Joint Lower Left	c:Ø19	895 407 365
2	10AU1501	Ball Joint Lower Right	c:Ø19	895 407 366
3	17VW2005	Tie Rod End	c:Ø10,7 th:FM14x1,5 RHT	811 419 812 A
4	26AU0100	Stabiliser Link	L:269,5mm	8A0 407 465 C



17VW2001



17VW2001



17VW2005



17VW2005

MS



10AU0000



10AU0000

PS



10AU0200



10AU0201

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU0000	Ball Joint Lower	c:Ø17	823 407 365 E
2	10AU0200	Ball Joint Lower Left	c:Ø17	855 407 365 A
3	10AU0201	Ball Joint Lower Right	c:Ø17	855 407 366 A
4	17VW2001	Tie Rod End	c:Ø10,5 th:MM14x1,5 RHT	811 419 812
5	17VW2005	Tie Rod End	c:Ø10,7 th:FM14x1,5 RHT	811 419 812 A


AUDI
COUPE

COUPE (89,8B)
COUPE QUATTRO



10 / 1988 - 12/1996
10 / 1988 - 12/1996

Chassis 8B - L - 003-792 -->
09 / 1989 -->



5

5



--> Chassis 8B - L - 003-791
--> 09 / 1989 EXC. 2.8



2

1



3

4



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU01	Ball Joint Lower Right	c:Ø19	893 407 366
2	10AU04	Ball Joint Lower Left	c:Ø19	893 407 365
3	10AU1500	Ball Joint Lower Left	c:Ø19	895 407 365
4	10AU1501	Ball Joint Lower Right	c:Ø19	895 407 366
5	17VW2005	Tie Rod End	c:Ø10,7 th:FM14x1,5 RHT	811 419 812 A
6	26AU0100	Stabiliser Link	L:269,5mm	8A0 407 465 C

AUDI

Q2


Q2 (GA)



09/2016 -->



6



6

26VW1600

26VW1600



3



20AU1200

5



20AU1200

4



17AU1203



2



38AU3020

9



38AU3020

1



10VW1605

QUATTRO



8

38AU1220

8



38AU1220



7



26VW1700

26VW1700

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1202	Tie Rod End Left		1K0 423 811 J
4	17AU1203	Tie Rod End Right		1K0 423 812 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	5Q0 411 315 A
7	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465 C
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182


AUDI

Q3

Q3 (8U)



06/2011 - 10/2018




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	17AU1202	Tie Rod End Left		1K0 423 812 J
6	17AU1203	Tie Rod End Right		1K0 423 811 J
7	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
8	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
9	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
10	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
11	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182

AUDI
Q3

Q3 (F3B)



07/2018 -->



QUATTRO



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1202	Tie Rod End Left		1K0 423 811 J
4	17AU1203	Tie Rod End Right		1K0 423 812 J
5	20VW1200	Axial Joint		561 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1700	Stabiliser Link Rear		5Q0 505 465 C
8	30VW1606	Track Control Arm Left		3Q0 407 151 E
9	30VW1607	Track Control Arm Right		3Q0 407 152 E
10	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
11	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
12	38AU3021	Silentblock for TCA		5Q0 407 183 E



26AU2600

19

19



26AU2600

Hydro PS.



17AU2500

3



20AU2500

7



20AU2500

4



17AU2501

Elect. PS.



17AU2502

5



20AU2500

7



20AU2500

6



17AU2503

UPPER Exc. Allroad



23AU0102

10



38AU0101

11



23AU0103

20



38AU0101

9



23AU0101

8



23AU0100

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17AU2500	Tie Rod End Left		8K0 422 817 B
4	17AU2501	Tie Rod End Right		8K0 422 818 B
5	17AU2502	Tie Rod End Left		4G0 423 811 A
6	17AU2503	Tie Rod End Right		4G0 423 812 A
7	20AU2500	Axial Joint	th:MM16x1,5 RHT L:225,5mm	4H0 422 810 A
8	23AU0100	TCA Left	c:Ø16 L:237mm	8K0 407 509 A
9	23AU0101	TCA Right	c:Ø16 L:237mm	8K0 407 510 A
10	23AU0102	TCA Left	c:Ø16 L:270mm	8K0 407 505 A
11	23AU0103	TCA Right	c:Ø16 L:270mm	8K0 407 506 A
19	26AU2600	Stabiliser Link		8K0 411 317 D
20	38AU0101	Silentblock for TCA		8D0 407 515 C



LOWER
-- > 08/2011



LOWER
-- > 08/2011



-- > 10/2009



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU2500	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø13,8 do:Ø42	8K0 407 689 G
2	10AU2501	Ball Joint		4G0 407 689 C
12	23AU0110	TCA Right	c:1:5 th:M12x1.5 RHT L:421,2mm	8K0 407 694 N
13	23AU0111	TCA Left	c:1:5 th:M12x1.5 RHT L:421,2mm	8K0 407 693 N
14	23AU2500	TCA Left	L:360,9mm	8K0 407 151 D
15	23AU2501	TCA Right	L:360,9mm	8K0 407 152 D
16	23AU2502	TCA Left		8K0 407 151 F
17	23AU2503	TCA Right		8K0 407 152 F
18	26AU2500	Stabiliser Link Rear	L:60,5mm Plastic	8K0 505 465 G
21	38AU0110	Silentblock for TCA	di:Ø12,2 do:Ø65	8K0 407 183 A
22	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B
23	38AU2501	Silentblock for TCA	di:Ø12,1 do:Ø50,4	8K0 407 182 B

AUDI

Q5

Q5 (FY)



05/2016 -->

Lower




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	38AU2500	Silentblock for TCA	di:Ø12,5 do:Ø43,9	4E0 407 181 B

Q7

Q7 (4L)



03 / 2006 -->




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17AU1300	Tie Rod End Left	c:Ø16,5 th:FM16x1,5 RHT	7L0 422 817 D
2	17AU1301	Tie Rod End Right	c:Ø16,5 th:FM16x1,5 RHT	7L0 422 818 D
3	20AU1300	Axial Joint	th:MM16x1,5 RHT L:288,5mm	7L0 422 803 C
4	26AU1300	Stabiliser Link Rear Left	L:201mm	7L0 505 465 A
5	26AU1301	Stabiliser Link Rear Right	L:201mm	7L0 505 466 A

AUDI


TT

TT (8N3 , 8N9)
TT QUATTRO

10 / 1998 - 10 / 2006



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	26VW1510	Stabiliser Link Left	L:335,5mm	1J0 411 315 D
4	26VW1511	Stabiliser Link Right	L:335,5mm	1J0 411 316 D
6	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
7	38AU1205	Silentblock for TCA	di:Ø13 do:Ø60	1J0 407 181
8	38AU3001	Stabiliser Mounting	di:Ø16,7	1J0 411 314 AC
9	38AU3002	Stabiliser Mounting	di:Ø19,7	1J0 411 314 P
10	38AU5000	Silentblock for TCA	di:Ø12,2 do:Ø45,2	8N0 407 182 A
11	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 C
12	38VW1502	Mounting Axle Body	di:Ø12,5 do:Ø69,2	1J0 501 541 D
13	38VW1270	Strut Mount	di:Ø32 do:Ø65,5	1J0 412 331 B
14	38VW1271	Strut Mount Kit	di:Ø32 do:Ø65,5	1J0 412 331 B S1
15	38AU3000	Mounting Axle Body	di:Ø20,8	1J0 411 314 T
16	38AU3003	Mounting Axle Body	di:Ø20,8	1J0 411 314 R





NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26AU1200	Stabiliser Link Rear	L:175mm	1J0 505 466 B
2	26AU1205	Stabiliser Link Rear	L:194,5mm	1J0 505 466 C
5	38AU0100	Stabiliser Mounting	di:Ø10,8	8D0 511 327 C

AUDI
TT

TT (8J3)
TT ROAD STER (8J9)
TT QUATTRO



10 / 2006 -- >
02 / 2007 -- >
10 / 2006 -- >



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	20AU2500	Axial Joint	th:MM16x1,5 RHT L:225,5mm	4H0 422 810 A
2	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
3	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
4	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182