

FIAT

124

124 (124)
124 COUPE (124)
124 FAMILIARE (124)
124 SPIDER (124)

01 / 1966 - 07 / 1975
06 / 1967 - 12 / 1975
04 / 1967 - 03 / 1975
01 / 1966 - 12 / 1972



17FI2450

3



17FI2430

2

4



22FI2470



10FI2400

1



10FI2400

1

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI2400	Ball Joint	th:M14x1.5 RHT cp:1/8 cs:Ø14,75	4 104 863
2	17FI2430	Tie Rod End Right	c:Ø11,9 th:FM14x1 RHT	4 218 233
3	17FI2450	Tie Rod End Left	c:Ø11,9 th:FM14x1 LHT	4 102 138
4	22FI2470	Rod Assembly	th1:M10x1.25 RHT	4 134 516

FIAT

125

125 (125)



07 / 1967 - 03 / 1974



17FI1000

3

3



17FI1000



17FI1010

4



17FI1010



10FI1010

2

2



10FI1010

Between (10/1967 - 06/1972)



10FI1000

1

1



10FI1000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI1000	Ball Joint Upper	th:M14x1,5 RHT cp:1/8 cs:Ø14,75	4 104 861
2	10FI1010	Ball Joint Lower	th:M14x1,5 RHT cp:1/9 cs:Ø14,9	4 104 863
3	17FI1000	Tie Rod End	c:Ø14,7 th:MM16x1 LHT	4 109 626
4	17FI1010	Tie Rod End	c:Ø14,8 th:MM16x1 RHT	4 100 024

FIAT

127

127 (127)
127 FIORINO (127)
127 PANAROMA (127)



06 / 1971 - 12 / 1986
10 / 1977 - 12 / 1987
10 / 1977 - 12 / 1987

-- > 11 / 1982



17FI0100

◀ 1

1 ▶



17FI0100

11 / 1982 -- >



17FI4000

◀ 2

2 ▶



17FI4000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI0100	Tie Rod End	c:Ø11,9 th:FM14x1 RHT	425 45 20
2	17FI4000	Tie Rod End	c:Ø12,15 th:FM12x1,5 RHT	598 34 06

128

128 (128)
128 FAMILIARE (128)
128 COUPE (128)



03 / 1969 - 12 / 1984
10 / 1969 - 10 / 1982
03 / 1972 - 02 / 1981



17FI0500

◀ 1

1 ▶



17FI0500



17FI4000

◀ 2

2 ▶



17FI4000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI0500	Tie Rod End	c:Ø11,9 th:FM14x1 RHT	4 443 201
2	17FI4000	Tie Rod End	c:Ø12,15 th:FM12x1,5 RHT	4 443 201

FIAT

131

131 (131)
131 FAMILIARE / PANAROMA (131)



10 / 1974 - 12 / 1984
03 / 1975 - 12 / 1984

--> 06 / 1982



17FI3100

2

2



17FI3100

07 / 1982 -->



17FI3101

3

3



17FI3101

--> 06 / 1982



20FI3110



4



20FI3110

07 / 1982 -->



20FI3111



5



20FI3111

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
2	17FI3100	Tie Rod End	c:Ø12,5 th:FM14x1,5 RHT	432 2905
3	17FI3101	Tie Rod End	c:Ø12,5 th:FM14x1,5 RHT	596 2772
4	20FI3110	Axial Joint	th:FM14x1,5 RHT L:266,5mm	432 2913
5	20FI3111	Axial Joint	th:FM14x1,5 RHT L:270mm	850 03266

FIAT

131

131 (131)
131 FAMILIARE / PANAROMA (131)



10 / 1974 - 12 / 1984
03 / 1975 - 12 / 1984



20FI3115


20FI3115

07 / 1982 -->



20FI4502

20FI4502



23FI3180

23FI3180



10FI3100



10FI3100

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3100	Ball Joint	th:M14x1.5 RHT cp:1/8 cs:Ø14,75 do:Ø41,4	432 2253
6	20FI3115	Axial Joint	th:MM14x1.5 RHT L:268mm	150 00099
7	20FI4502	Axial Joint	th:FM14x1.5 RHT L:272mm	441 01 45
8	23FI3180	TCA	c:1:8 th:M14x1.5 RHT L:288mm	433 1252



17FI1000

3

3



17FI1000



17FI1010

4



17FI1010



10FI1010

2

2



10FI1010



10FI1000

1

1



10FI1000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI1000	Ball Joint Upper	th:M14x1.5 RHT cp:1/8 cs:Ø14,75	4 104 861
2	10FI1010	Ball Joint Lower	th:M14x1.5 RHT cp:1/9 cs:Ø14,9	4 104 863
3	17FI1000	Tie Rod End	c:Ø14,7 th:MM16x1 LHT	4 109 626
4	17FI1010	Tie Rod End	c:Ø14,8 th:MM16x1 RHT	4 100 024

FIAT

147

147 (147)



10 / 1976 - 12 / 1995

-- > 12 / 1984



◀ 1

17FI0100

1 ▶



17FI0100

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI0100	Tie Rod End	c:Ø11,9 th:FM14x1 RHT	425 45 20

1000-1500-2300

1000-1300/1500 (116)
1500-2300
1500 CONVERTIBLE



11 / 1961 - 03 / 1969
04 / 1962 - 12 / 1970
06 / 1964 - 10 / 1967



17FI1010

◀ 2 ▶



17FI1010



◀ 1


10FI1010

1 ▶



10FI1010

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI1010	Ball Joint Lower	th:M14x1.5 RHT cp:1/9 cs:Ø14,9	4 104 863
2	17FI1010	Tie Rod End	c:Ø14,8 th:MM16x1 RHT	4 100 024



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI5600	Ball Joint	c∅18	518 10 665
2	200P1505	Axial Joint	th:MM14x1,5 RHT L:292,5mm	16 03 543
3	260P1505	Stabiliser Link	L:300mm	518 05 870
4	38FI5508	Silentblock for TCA	di:∅12,2 do:∅71	518 05 870

FIAT

500

500 X



09 / 2014 -->



26FI2700

◀ 1

1 ▶



26FI2700

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26FI2700	Stabiliser Link	L:280mm Plastic	519 39 949



ALL



4



3

MS



1



11



1



PS --> 09/1999



5



PS 01/2002 -->



6



PS 2002 -->



7



8



2



10

9



2



10FI5500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI5000	Ball Joint Lower	th:M12x1,25 RHT cp:1/8cs:Ø13	464 37 951
2	10FI5500	Ball Joint Lower	th:M12x1,25 RHT cp:1/5cs:Ø13,6	467 79 293
3	17FI5000	Tie Rod End Right	c:Ø12 th:FM14x1,5 RHT	464 56 660
4	17FI5001	Tie Rod End Left	c:Ø12 th:FM14x1,5 RHT	464 56 189
5	20FI5000	Axial Joint	th:MM14x1,5 RHT L:285,6mm	7 079 382
6	20FI5005	Axial Joint	th:MM16x1,5 RHT L:267mm	7 081 851
7	30FI5510	TCA Left		465 39 001
8	30FI5511	TCA Right		465 39 000
9	38FI5500	Silentblock Bushing for TCA	di:Ø19,8	4645 4077
10	38FI5501	Silentblock Bushing for TCA	di:Ø19,8	4645 4078
11	38FI5505	Silentblock Bushing for TCA	di:Ø12 do:Ø30,3	464 21 522

FIAT

BARCETTA

BARCETTA (183)



03 / 1995 - 01 / 2005



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI2600	Tie Rod End	c:Ø12 th:FM12x1,5 RHT	994 69 49
2	20FI2600	Axial Joint	th:MM16x1,5 RHT L:267mm	994 55 62

BRAVO, BRAVA

BRAVO, BRAVA (182)



01 / 1995 - 01 / 2001



MS Exc. 2.0 20V



PS Exc. 2.0 20V



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI4530	Tie Rod End Right	c:Ø12 th:FM12x1,5 RHT	759 12 15
2	17FI4550	Tie Rod End Left	c:Ø12 th:FM12x1,5 RHT	759 12 16
3	20FI4501	Axial Joint	th:MM14x1,5 RHT L:266,5mm	994 16 25
4	20FI4502	Axial Joint	th:FM14x1,5 RHT L:272mm	441 01 45
5	26FI0500	Stabiliser Link		605 70 627

FIAT

CINQUECENTO

CINQUECENTO (170,270)



07 / 1991 - 01 / 1998



17FI2000

◀ 1

1 ▶



17FI2000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI2000	Tie Rod End	c:Ø12 th:FM12x1,5 RHT	766 97 56

COUPÉ

COUPÉ (FA/175)



11/1993 - 08/2000



26FI0500

◀ 5

5 ▶



26FI0500

-> 1996 EXC. 2.0 TURBO



17FI4550

◀ 2

1 ▶



17FI4530

1997 ->



17FI6000

◀ 3



20FI5100

◀ 4



20FI5100

3 ▶



17FI6000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI4530	Tie Rod End Right	c:Ø12 th:FM12x1,5 RHT	994 74 38
2	17FI4550	Tie Rod End Left	c:Ø12 th:FM12x1,5 RHT	994 74 37
3	17FI6000	Tie Rod End	c:Ø12 th:FM14x1,5 RHT	994 77 14
4	20FI5100	Axial Joint	th:MM14x1,5 RHT L:306mm	956 69 50 880
5	26FI0500	Stabiliser Link		605 70 627



26FI0500



3



26FI0500



17AR1500



2



17AR1500



10AR1500



1



10AR1500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AR1500	Ball Joint	th:M12x1,25 RHT cp:1/8 cs:Ø13	605 66 661
2	17AR1500	Tie Rod End	c:Ø12,45 th:FM14x1,5 RHT	605 07 918
3	26FI0500	Stabiliser Link		605 70 627



-- > 15 / 10 / 2005



9



4



7



8



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
2	170P2500	Tie Rod End Left	c:Ø12,2 th:FM14x1,5 RHT	77 363 713
3	170P2501	Tie Rod End Right	c:Ø12,2 th:FM14x1,5 RHT	77 363 712
4	200P2500	Axial Joint	th:MM18x1,5 RHT L:283mm	16 03 244
5	260P2500	Stabiliser Link	L:355mm	518 03 183
7	380P2050	Silentblock for TCA	di:Ø12,2 do:Ø35,7	3 52 357
8	380P4030	Silentblock for TCA	di:Ø19,4	717 40 107
9	380P4032	Silentblock for TCA	di:Ø24	3 50 145



260P2505

◀ 6

6 ▶



260P2505



110P2500

◀ 1

1 ▶



110P2500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	110P2500	Silentblock Bushing Rear	di:Ø14 do:Ø47,3	4 23 035
6	260P2505	Stabiliser Link Rear	L:86,2mm Plastic	717 40 112

FIAT

DOBLO

DOBLO (119)
DOBLO CARGO (223)



03 / 2001 -->
11 / 2000 -->

MS



5



20FI5501

7



20FI5501



5

17FI6000

PS --> Chas. 5120135



5



20FI5500

6



20FI5500



5

17FI6000

PS Chas. 5120136 -->
-- > 10 / 2005



4



20FI5502

8



20FI5502



3

17FI5500

11 / 2005 -->



4

17FI5501



3

17FI5500



11

30FI5500



17

38FI5505



12

30FI5501



1

10FI5500



1

10FI5500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI5500	Ball Joint	th:M12x1,25 RHT q:1/5 cs:Ø13,65	465 43 045
3	17FI5500	Tie Rod End Right	α:Ø12,15 th:FM14x1,5 RHT	464 56 660
4	17FI5501	Tie Rod End Left	α:Ø12,15 th:FM14x1,5 RHT	464 56 189
5	17FI6000	Tie Rod End	α:Ø12 th:FM14x1,5 RHT	994 77 19
6	20FI5500	Axial Joint	th:MM16x1,5 RHT L:333,5mm	988 45 024
7	20FI5501	Axial Joint	th:MM14x1,5 RHT L:297,1mm	988 45 025
8	20FI5502	Axial Joint	th:MM16x1,5 RHT L:298mm	988 45 026
11	30FI5500	TCA Left		517 72 992
12	30FI5501	TCA Right		517 72 988
17	38FI5505	Silentblock Bushing	di:Ø12 do:Ø30,3	464 21 522

FIAT

DOBLO

DOBLO (119)
DOBLO CARGO (223)



03 / 2001 -->
11 / 2000 -->

Chas. --> 5023342



10FI5501

2

2



10FI5501

All --> 10 / 2005



30FI5510

13



38FI5505

17

14



30FI5511



10FI5500

1



38FI5501

16

15



38FI5500

1



10FI5500



26FI5501

10



26FI5500

9




26FI5500

10



26FI5501

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI5500	Ball Joint	th:M12x1,25 RHT cp:1/5 cs:Ø13,6	468 42 581
2	10FI5501	Ball Joint	th:M12x1,25 RHT cp:1/5 cs:Ø13,65	465 43 045
9	26FI5500	Stabiliser Link Rear	L:117,5mm	517 17 000
10	26FI5501	Stabiliser Link Rear	L:132mm	517 17 001
13	30FI5510	TCA Left		517 47 324
14	30FI5511	TCA Right		467 94 065
15	38FI5500	Silentblock Bushing	di:Ø19,8	467 48 579
16	38FI5501	Silentblock Bushing	di:Ø19,8	467 48 578
17	38FI5505	Silentblock Bushing	di:Ø12 do:Ø30,3	464 21 522



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI5600	Ball Joint	c:Ø18	518 10 664
2	17FI5600	Tie Rod End Left	c:Ø11,6 th:FM14x1,5 RHT	773 65 223
3	17FI5601	Tie Rod End Right	c:Ø11,6 th:FM14x1,5 RHT	773 65 224
4	20FI5600	Axial Joint	th:MM18x1,5 RHT L:297,5mm	26 144 989
5	26FI5600	Stabiliser Link	L:296mm	519 35 875
6	30FI5600	TCA Left		3 52 538
7	30FI5601	TCA Right		3 52 537
8	38FI5506	Silentblock for TCA	di:Ø12,3 do:Ø42,4	3 52 380
9	38FI5508	Silentblock for TCA	di:Ø12,2 do:Ø71	518 85 737*

DUCATO (280 , 290)
TALENTO (290)



01 / 1982 - 03 / 1994
03 / 1989 - 03 / 1994

MS



17FI3000

3



20AR0100

4



20AR0100

3



17FI3000

PS



17FI3000

3

3



17FI3000

-- > 09 / 1985



10FI3000

1

1



10FI3000

10 / 1985 -->



10FI3001

2

2



10FI3001

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3000	Ball Joint	th:M14x1,5 RHT cp:1/8 cs:Ø15,79	438 81 59
2	10FI3001	Ball Joint	th:M16x1,5 RHT cp:1/8 cs:Ø17	756 72 84
3	17FI3000	Tie Rod End	c:Ø14,5 th:FM16x1,5 RHT	97 50 079 980
4	20AR0100	Axial Joint	th:FM18x1,5 RHT L:327mm	97 50 001 180



526PE0500

5



526PE0500

5



17FI3200

3



4



17FI3200

3

1.0-1.4 T



10FI3002

1



10FI3002

1

1.8 T



10FI3003

2




10FI3003

2


NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3002	Ball Joint	th:M16x1,5 RHT cp:1/8 cs:Ø17	130 23 68 080
2	10FI3003	Ball Joint	th:M18x1,5 RHT cp:1/10 cs:Ø19,5	130 04 73 080
3	17FI3200	Tie Rod End	c:Ø14,4 th:FM16x1,5 RHT	130 67 16 080
4	20FI3200	Axial Joint	th:MM16x1,5 RHT L:315mm	147 16 54 080
5	526PE0500	Stabiliser Link		130 07 16 080




--> CHAS 7175291




CHAS 7175292 -- >



0.8 - 1.0 - 1.4 Tons



1.8 Tons



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3004	Ball Joint	th:M16x1,5 RHT cp:1/6 cs:Ø17	13 31 640 080
2	10FI3005	Ball Joint	th:M18x1,5 RHT cp:1/6 cs:Ø19,8	13 31 641 080
3	17FI3200	Tie Rod End	c:Ø14,4 th:FM16x1,5 RHT	130 67 16 080
4	17FI3205	Tie Rod End	c:Ø16,6 th:FM16x1,5 RHT	147 16 55 080
5	20FI3200	Axial Joint	th:MM16x1,5 RHT L:315mm	147 16 54 080
6	526PE0500	Stabiliser Link		130 07 16 080

FIAT DUCATO

DUCATO (250 , 251)



07 / 2006 -->



6



6

526PE1000

526PE1000



2



20PE0700



4



20PE0700



3

17FI3211



1

10FI3210



38CT1000

5



38CT1000

1



10FI3210

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3210	Ball Joint	th:M16x1,5 RHT cp:1/6 cs:Ø20,5	507 05 629
2	17FI3210	Tie Rod End Left	c:Ø16,7 th:FM16x1,5 RHT	773 64 253
3	17FI3211	Tie Rod End Right	c:Ø16,7 th:FM16x1,5 RHT	773 64 009
4	20PE0700	Axial Joint	th:MM16x1,5 RHT L:260mm	1341019080
5	38CT1000	Silentblock for TCA	di:Ø19,7 do:Ø74,4	50705198
6	526PE1000	Stabiliser Link		13 00 720 080

DUNA

DUNA (146 B)



10 / 1987 - 12 / 1991



1

17FI3500



1


17FI3500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI3500	Tie Rod End	c:Ø11,8 th:FM12x1,5 RHT	7543028

EGEA (356)
EGEA HATCHBACK (357)
EGEA ESTATE (357)



10 / 2015 -->
03 / 2016 -->
03 / 2016 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI2700	Ball Joint	c:Ø19	520 26 562
2	17FI2700	Tie Rod End	c:Ø 11,3 th:FM14x1,5 RHT	773 67 379
3	26FI2700	Stabiliser Link	L:280mm Plastic	519 39 949
4	30FI2700	TCA Left		520 11 612
5	30FI2701	TCA Right		520 11 614
6	38FI2700	Silentblock For TCA	di:Ø14,5 do:Ø42,4	519 83 599
7	38FI2701	Silentblock For TCA	di:Ø14,2 do:Ø70,3	519 83 600

FIAT

FIORINO

FIORINO (127)



10 / 1977 - 12 / 1987



17FI0100

◀ 1 ▶



17FI0100



17FI4000

◀ 2

2 ▶



17FI4000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI0100	Tie Rod End	c:Ø11,9 th:FM14x1 RHT	425 45 20
2	17FI4000	Tie Rod End	c:Ø12,15 th:FM12x1,5 RHT	595 82 46

FIORINO (146)



01 / 1988 - 05 / 2001



17FI3500

◀ 1

1 ▶



17FI3500



17FI4000


◀ 2

2 ▶




17FI4000


NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI3500	Tie Rod End	c:Ø11,8 th:FM12x1,5 RHT	7543028
2	17FI4000	Tie Rod End	c:Ø12,15 th:FM12x1,5 RHT	595 82 46



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3505	Ball Joint	c:Ø16	3 52 067
2	17FI3505	Tie Rod End Left	c:Ø11,7 th:FM14x1,5 RHT	773 64 568
3	17FI3506	Tie Rod End Right	c:Ø11,7 th:FM14x1,5 RHT	773 64 569
4	20FI3505	Axial Joint	th:MM14x1,5 RHT L:274mm	517 841 91
5	26FI3505	Stabiliser Link	L:290mm	517 040 08
6	30FI3505	TCA Left		518 95 367
7	30FI3506	TCA Right		518 95 366
8	38FI5506	Silentblock for TCA	di:Ø12,3 do:Ø42,4	3 52 380
9	38FI5507	Silentblock Bushing for TCA	do:Ø71,5	55 700 751
10	45FI3505	Strut Mount Left		518 90 881
11	45FI3506	Strut Mount Right		518 90 880



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3505	Ball Joint	c:Ø16	3 52 067
2	17FI3505	Tie Rod End Left	c:Ø11,7 th:FM14x1,5 RHT	773 64 568
3	17FI3506	Tie Rod End Right	c:Ø11,7 th:FM14x1,5 RHT	773 64 569
4	200P1505	Axial Joint	th:MM14x1,5 RHT L:292,5mm	16 09 456
5	260P1505	Stabiliser Link	L:300mm	557 00 753
6	30FI3505	TCA Left		518 95 367
7	30FI3506	TCA Right		518 95 366
8	38FI5506	Silentblock for TCA	di:Ø12,3 do:Ø42,4	3 52 380
9	38FI5507	Silentblock for TCA	do:Ø71,5	557 00 751



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3505	Ball Joint	c:Ø16	3 52 067
2	17FI3505	Tie Rod End Left	c:Ø11,7 th:FM14x1,5 RHT	773 64 568
3	17FI3506	Tie Rod End Right	c:Ø11,7 th:FM14x1,5 RHT	773 64 569
4	20FI3505	Axial Joint	th:MM14x1,5 RHT L:274mm	517 841 91
5	26FI3505	Stabiliser Link	L:290mm	517 040 08
6	30FI3505	TCA Left		518 95 367
7	30FI3506	TCA Right		518 95 366
8	38FI5506	Silentblock for TCA	di:Ø12,3 do:Ø42,4	3 52 380
9	38FI5507	Silentblock Bushing for TCA	do:Ø71,5	55 700 751
10	45FI3505	Strut Mount Left		518 90 881
11	45FI3506	Strut Mount Right		518 90 880

FIAT

MAREA

MAREA (185)
MAREA WEEKEND (185)
MULTIPLA (186)



09 / 1996 - 01 / 2002
09 / 1996 - 01 / 2002
04 / 1996 - 03 / 2007



1.2 - 1.4 - 1.6 - 1.8 - 1.9TD - 1.9JTD



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI6000	Tie Rod End	c:Ø12 th:FM14x1,5 RHT	994 77 14
2	20FI5100	Axial Joint	th:MM14x1,5 RHT L:306mm	956 69 50 880
3	26FI6000	Stabiliser Link	L:275,5mm	517 01 045

FIAT

PALIO

PALIO 2V (178BX / 171)

PALIO WEEKEND (178DX / 277 / 173)



04 / 1996 -->

04 / 1996 -->

ALL Types



17FI5001

ALL Types



17FI5000

PS



PS 2002 -->



ALL Types



38FI5505

ALL Types



38FI5505

PS -> 11/1999



10FI5000



10FI5500



10FI5500



10FI5000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI5000	Ball Joint Lower	thtM12x1,25 RHT cp:1/8csØ13	464 37 951
2	10FI5500	Ball Joint Lower	thtM12x1,25 RHT cp:1/5csØ13,6	467 79 293
3	17FI5000	Tie Rod End Right	cØ12thtFM14x1,5 RHT	464 56 660
4	17FI5001	Tie Rod End Left	cØ12thtFM14x1,5 RHT	464 56 189
5	20FI5000	Axial Joint	thtMM14x1,5 RHTL285,6mm	7 079 382
6	20FI5005	Axial Joint	thtMM16x1,5 RHTL267mm	7 081 851
7	30FI5510	TCA Left		517 47 324
8	30FI5511	TCA Right		467 94 065
9	38FI5500	Silentblock for TCA	diØ19,8	4645 4077
10	38FI5501	Silentblock for TCA	diØ19,8	4645 4078
11	38FI5505	Silentblock for TCA	diØ12 doØ30,3	464 21 522



17FI1500

◀ 3



17FI1500

3 ▶



10FI4000

◀ 1



10FI4000

1 ▶



10FI41

◀ 2 ▶



10FI41


NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI4000	Ball Joint Lower	th:M10x1.25 RHT cp:1/10 cs:Ø12,25 do:Ø37	440 26 44
2	10FI41	Ball Joint Lower	th:M10x1.25 RHT cp:1/10 cs:Ø12 do:Ø37,3	440 26 44
3	17FI1500	Tie Rod End Left	c:Ø12 th:FM12x1,5 RHT	596 08 35

FIAT
PUNTO

PUNTO (176)
PUNTO CABRIO (176 C)
PUNTO VAN (276)



03 / 1993 - 09 / 1999
04 / 1994 - 06 / 2000
04 / 1996 - 02 / 2000



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI2600	Ball Joint Lower	c:Ø12 th:FM12x1,5 RHT	994 69 49
2	20FI2600	Axial Joint	th:MM16x1,5 RHT L:267mm	994 55 62


PUNTO (188)




03 / 1993 - 09 / 1999




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI2600	Ball Joint Lower	c:Ø12 th:FM12x1,5 RHT	994 69 49



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3505	Ball Joint	c:Ø16	3 52 067
2	17FI3505	Tie Rod End Left	c:Ø11,7 th:FM14x1,5 RHT	773 64 568
3	17FI3506	Tie Rod End Right	c:Ø11,7 th:FM14x1,5 RHT	773 64 569
4	20FI3505	Axial Joint	th:MM14x1,5 RHT L:274mm	517 841 91
5	260P1505	Stabiliser Link	L:300mm	518 05 870
6	30FI3505	TCA Left		518 95 367
7	30FI3506	TCA Right		518 95 366
8	38FI5506	Silentblock for TCA	di:Ø12,3 do:Ø42,4	3 52 380
9	38FI5507	Silentblock Bushing for TCA	do:Ø71,5	55 700 751




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3505	Ball Joint	c:Ø16	3 52 067
2	17FI3505	Tie Rod End Left	c:Ø11,7 th:FM14x1,5 RHT	773 64 568
3	17FI3506	Tie Rod End Right	c:Ø11,7 th:FM14x1,5 RHT	773 64 569
4	20FI3505	Axial Joint	th:MM14x1,5 RHT L:274mm	517 841 91
5	260P1505	Stabiliser Link	L:300mm	518 05 870
6	30FI3505	TCA Left		518 95 367
7	30FI3506	TCA Right		518 95 366
8	38FI5506	Silentblock for TCA	di:Ø12,3 do:Ø42,4	3 52 380
9	38FI5507	Silentblock Bushing for TCA	do:Ø71,5	55 700 751




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3505	Ball Joint	c:Ø16	3 52 067
2	17FI3505	Tie Rod End Left	c:Ø11,7 th:FM14x1,5 RHT	773 64 568
3	17FI3506	Tie Rod End Right	c:Ø11,7 th:FM14x1,5 RHT	773 64 569
4	20FI3505	Axial Joint	th:MM14x1,5 RHT L:274mm	517 841 91
5	26FI3505	Stabiliser Link	L:290mm	517 040 08
6	30FI3505	TCA Left		518 95 367
7	30FI3506	TCA Right		518 95 366
8	38FI5506	Silentblock for TCA	di:Ø12,3 do:Ø42,4	3 52 380
9	38FI5507	Silentblock for TCA	do:Ø71,5	55 700 751
10	45FI3505	Strut Mount Left		518 90 881
11	45FI3506	Strut Mount Right		518 90 880



MS --> 05 / 1983



MS --> 06 / 1983



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI2000	Tie Rod End	c:Ø12 th:FM12x1,5 RHT	766 97 56
2	17FI2500	Tie Rod End	c:Ø12 th:FM14x1,5 RHT	441 04 15
3	20FI3110	Axial Joint	th:FM14x1,5 RHT L:266,5mm	432 29 13
4	20FI4502	Axial Joint	th:FM14x1,5 RHT L:272mm	441 01 45


FIAT RITMO

RITMO (138 A)



01 / 1978 - 12 / 1988

MS -- > 05 / 1983



MS -- > 06 / 1983



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI2000	Tie Rod End	c:Ø12 th:FM12x1,5 RHT	766 97 56
2	17FI2500	Tie Rod End	c:Ø12 th:FM14x1,5 RHT	441 04 15
3	20FI3110	Axial Joint	th:FM14x1,5 RHT L:266,5mm	432 29 13
4	20FI4502	Axial Joint	th:FM14x1,5 RHT L:272mm	441 01 45

SEICENTO


SEICENTO (187,287)




01 / 1998 - 01 / 2003



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI2000	Tie Rod End	c:Ø12 th:FM12x1,5 RHT	766 97 56




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI5100	Tie Rod End	c:Ø12,6th:FM14x1,5 RHT	130 60 03 080
2	20FI5100	Axial Joint	th:MM14x1,5 RHT L:306mm	95 66 950 880
3	26FI5100	Stabiliser Link		131 74 25 080



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17CT1000	Tie Rod End		3817 73



PS




PS 2002 -->




ALL Types

ALL Types



PS -> 11/1999

MS




MS




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI5000	Ball Joint Lower	th:M12x1,25 RHT cp:1/8 cs:Ø13	464 37 951
2	10FI5500	Ball Joint Lower	th:M12x1,25 RHT cp:1/5 cs:Ø13,6	467 79 293
3	17FI5000	Tie Rod End Right	c:Ø12 th:FM14x1,5 RHT	464 56 660
4	17FI5001	Tie Rod End Left	c:Ø12 th:FM14x1,5 RHT	464 56 189
5	20FI5000	Axial Joint	th:MM14x1,5 RHT L285,6mm	7 079 382
6	20FI5005	Axial Joint	th:MM16x1,5 RHT L267mm	7 081 851
7	30FI5510	TCA Left		517 47 324
8	30FI5511	TCA Right		467 94 065
9	38FI5500	Silentblock for TCA	di:Ø19,8	4645 4077
10	38FI5501	Silentblock for TCA	di:Ø19,8	4645 4078
11	38FI5505	Silentblock for TCA	di:Ø12 do:Ø30,3	464 21 522



MS > 05 / 1983



MS -- > 06 / 1983




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI2000	Tie Rod End	c:Ø12 th:FM12x1,5 RHT	766 97 56
2	17FI2500	Tie Rod End	c:Ø12 th:FM14x1,5 RHT	441 04 15
3	20FI3110	Axial Joint	th:FM14x1,5 RHT L:266,5mm	432 29 13
4	20FI4502	Axial Joint	th:FM14x1,5 RHT L:272mm	441 01 45




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI5500	Ball Joint Lower	th:M12x1,25 RHT L:267mm	7 082 812
2	17FI5000	Tie Rod End Right	c:Ø12 th:FM14x1,5 RHT	46745364
3	17FI5001	Tie Rod End Left	c:Ø12 th:FM14x1,5 RHT	46745365
4	20FI5005	Axial Joint	th:MM16x1,5 RHT L:267mm	7 081 851



MS



PS



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI3001	Ball Joint	th:M16x1,5 RHT cp:1/8 cs:Ø17	756 72 84
2	17FI3000	Tie Rod End	c:Ø14,5 th:FM16x1,5 RHT	97 50 079 980
3	20AR0100	Axial Joint	th:FM18x1,5 RHT L:327mm	97 50 001 180



26FI0500

◀ 5

5 ▶



26FI0500

MS



17FI4550

◀ 2



20FI4502

◀

4

▶



20FI4502

1 ▶



17FI4530

PS



17FI4550

◀ 2



20FI4501

◀

3

▶



20FI4501

1 ▶



17FI4530

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI4530	Tie Rod End Right	c:Ø12 th:FM12x1,5 RHT	759 12 15
2	17FI4550	Tie Rod End Left	c:Ø12 th:FM12x1,5 RHT	759 12 16
3	20FI4501	Axial Joint	th:MM14x1,5 RHT L:266,5mm	994 16 25
4	20FI4502	Axial Joint	th:FM14x1,5 RHT L:272mm	441 01 45
5	26FI0500	Stabiliser Link		605 70 627



◀ 5

5 ▶



26FI0500

26FI0500

MS



◀ 2



20FI4502



4



20FI4502



1 ▶

17FI4550

17FI4530

PS



◀ 2



20FI4501



3



20FI4501



1 ▶

17FI4550

17FI4530

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI4530	Tie Rod End Right	c:Ø12 th:FM12x1,5 RHT	759 12 15
2	17FI4550	Tie Rod End Left	c:Ø12 th:FM12x1,5 RHT	759 12 16
3	20FI4501	Axial Joint	th:MM14x1,5 RHT L:266,5mm	994 16 25
4	20FI4502	Axial Joint	th:FM14x1,5 RHT L:272mm	441 01 45
5	26FI0500	Stabiliser Link		605 70 627

FIAT
TIPO

TIPO (356)
TIPO HATCHBACK (357)
TIPO ESTATE (357)



10 / 2015 -->
03 / 2016 -->
03 / 2016 -->



26FI2700



17FI2700



17FI2700



26FI2700



30FI2700



38FI2700



30FI2701



38FI2701



10FI2700



10FI2700

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI2700	Ball Joint	c:Ø19	520 26 562
2	17FI2700	Tie Rod End	c:Ø 11,3 th:FM14x1,5 RHT	773 67 379
3	26FI2700	Stabiliser Link	L:280mm Plastic	519 39 949
4	30FI2700	TCA Left		520 11 612
5	30FI2701	TCA Right		520 11 614
6	38FI2700	Silentblock For TCA	di:Ø14,5 do:Ø42,4	519 83 599
7	38FI2701	Silentblock For TCA	di:Ø14,2 do:Ø70,3	519 83 600


FIAT

ULYSSE

ULYSSE (220 - 121)



06 / 1994 - 08 / 2002



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17FI5100	Tie Rod End	c:Ø12,6 th:FM14x1,5 RHT	130 60 03 080
2	20FI5100	Axial Joint	th:MM14x1,5 RHT L:306mm	95 66 950 880
3	26FI5100	Stabiliser Link		131 74 25 080


UNO

UNO (146 A/E)



01 / 1983 - 12 / 1993

PETROL



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10FI4000	Ball Joint Lower	th:M10x1.25 RHT cp:1/10 cs:Ø12,25 do:Ø37	440 26 44
2	10FI41	Ball Joint Lower	th:M10x1.25 RHT cp:1/10 cs:Ø12 do:Ø37,3	440 26 44
3	17FI4000	Tie Rod End	c:Ø12,15 th:FM12x1,5 RHT	598 34 06
4	20FI4502	Axial Joint	th:FM14x1.5 RHT L:272mm	441 01 45