

KIA

CARENS

CARENS I (FC)



11/2000 - 07/2002



◀ 1



2 ▶

26KI1000

26KI1001

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26KI1000	Stabiliser Link Left	L:272mm	OK2N1-34170A
2	26KI1001	Stabiliser Link Right	L:272mm	OK2N1-34150A

CARENS II (FJ)
CARENS Mk II (FJ)



11/2005 - 11/2009
11/2005 - 11/2009



◀ 1 ▶



38HY1000

38HY1000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	38HY1000	Silentblock for TCA	di:Ø14,2 do:Ø44	OK2N1-34170A

KIA

CARENS

CARENS III (UN)



10/2006 - 03/2013



10HY2000

◀ 1

1 ▶



10HY2000

--> 11/09



38HY1000

◀ 2 ▶



38HY1000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10HY2000	Ball Joint	th:M12x1.25 RHT cp:1/8 cs:Ø15	51760 0Q000
2	38HY1000	Silentblock for TCA	di:Ø14,2 do:Ø44	0K2N1-34170A

CARENS IV (RP)



03/2013 ->



10KI3000

◀ 1 ▶



10KI3000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10KI3000	Ball Joint	c:Ø18	54530 3S100

CARNIVAL

CARNIVAL III (VQ)



09/2005 - >




38HY1000

◀ 1 ▶




38HY1000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	38HY1000	Silentblock for TCA	di:Ø14,2 do:Ø44	0K2N1-34170A



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10HY2000	Ball Joint	th:M12x1.25 RHT cp:1/8 cs:Ø15	51760 0Q000
2	10KI3010	Ball Joint	th:M12x1.5 RHT cp:1/8 cs:Ø15,1 do:Ø42	51760 2R000
3	17HY2000	Tie Rod End Left	c:Ø13,4 th:FM14x1,5 RHT	56820 2H000
4	17HY2001	Tie Rod End Right	c:Ø13,4 th:FM14x1,5 RHT	56820 2H090
5	20HY2000	Axial Joint	th:MM16x1,5 RHT L:164mm	56540 2H000
6	26HY2500	Stabiliser Link	L:170mm	55530 1H100
7	26HY2510	Stabiliser Link	L:243mm	54830 2H200
8	38HY1000	Silentblock for TCA	di:Ø14,2 do:Ø44	55130 4D000




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10KI3000	Ball Joint	c:Ø18	54530 3S100
2	17KI3000	Tie Rod End Left	c:Ø 13,4 th:FM16x1,5 RHT	56820 A6000
3	17KI3001	Tie Rod End Right	c:Ø 13,4 th:FM16x1,5 RHT	56820 A6090
4	20KI3000	Axial Joint	th:MM16x1,5 RHT L:218,5mm	56540 A6000
5	26KI3000	Stabiliser Link	L:282mm	54830 2V000
6	26KI3010	Stabiliser Link Rear	L:87mm	55530 3R000
7	38HY0310	Silentblock For TCA	di:Ø14,3 do:Ø70	54584 A6000

KIA

CERATO

CERATO (LD)
CERATO Saloon (LD)

04/2004 - 12/2009



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10HY0500	Ball Joint	th:M12x1.25 RHT cp:1/8 cs:Ø15 do:Ø40	54530 31600
2	17HY0500	Tie Rod End	c:Ø13,4 th:FM14x1,5 RHT	56820 25000
3	20KI0200	Axial Joint	th:MM16x1,5 RHT L:208,5mm	57724 2D000
4	26HY0605	Stabiliser Link Rear	L:130mm	55530 17010
5	26KI0200	Stabiliser Link Left	L:250,5mm	54830 2F000
6	26KI0201	Stabiliser Link Right	L:250,5mm	54840 2F000

KIA

CLARUS

CLARUS (K9A)
CLARUS ESTATE (GC)



07/1996 - 04/2001
05/1998 - 04/2001



◀ 1

10MZ0500



1 ▶

10MZ0500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10MZ0500	Ball Joint Lower	c:Ø18 do:Ø43,1	0G030 34 550B

K 2500 K 2700

K 2500
K 2700



01/1997 ->
01/1997 ->



◀ 3 ▶

17KI0100



17KI0100



◀ 1

10MZ03



1 ▶

10MZ03



◀ 2 ▶

10MZ04



10MZ04

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10MZ03	Ball Joint	th:M16x1.5 RHT cp:1/8 cs:Ø18	0K710 34540
2	10MZ04	Ball Joint	th:M18x1.5 RHT cp:1/8 cs:Ø19,75	0K710 34510
3	17KI0100	Tie Rod End	c:Ø13,9 th:MM14x1,5 RHT	0K710 32240

LOTZE

LOTZE (MG)



11/2005 -->



◀ 1 ▶

10HY2000



10HY2000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10HY2000	Ball Joint	th:M12x1.25 RHT cp:1/8 cs:Ø15	51760-2H000

KIA

MAGENTIS

MAGENTIS (MG)
MAGENTIS Saloon (MG)

11/2005 -->



◀ 1

10HY2000

1 ▶



10HY2000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10HY2000	Ball Joint	th:M12x1.25 RHT cp:1/8 cs:Ø15	51760-2H000

MENTOR

MENTOR I (FA)
MENTOR Saloon (FA)

09/1993 - 10/1997



◀ 1

10MZ02

1 ▶



10MZ02

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10MZ02	Ball Joint	c:Ø16	OK201-34550C

OPTIMA

OPTIMA (TF)

09/2010 ->



ABS



38HY1000

◀ 2 ▶

ABS



38HY1000



◀ 1

26KI3010

1 ▶



26KI3010

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26KI3010	Stabiliser Link Rear	L:87mm	55530 3R000
2	38HY1000	Silentblock Bushing	di:Ø14,2 do:Ø44	55130 4D000

KIA

PICANTO


PICANTO (TA)



05/2011 ->



26HY2010



26HY2011


NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26HY2010	Stabiliser Link Left	L:216mm	54830 1J000
2	26HY2011	Stabiliser Link Right	L:216mm	54840 1J000

PREGIO

PREGIO (TB)



01/1997 - 01/2005



17KI0100

17KI0100

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17KI0100	Tie Rod End	c:Ø13,9 th:MM14x1,5 RHT	OK72A 32240A


KIA

PRO CEE'D

PRO CEE'D (ED)






02/2008 - 03/2013




-> 10/2009

11/2009 ->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10HY2000	Ball Joint	th:M12x1.25 RHT cp:1/8 cs:Ø15	51760 0Q000
2	10KI3010	Ball Joint	th:M12x1.5 RHT cp:1/8 cs:Ø15,1 do:Ø42	51760 2R000
3	17HY2000	Tie Rod End Left	c:Ø13,4 th:FM14x1,5 RHT	56820 2H000
4	17HY2001	Tie Rod End Right	c:Ø13,4 th:FM14x1,5 RHT	56820 2H090
5	20HY2000	Axial Joint	th:MM16x1,5 RHT L:164mm	56540 2H000
6	26HY2500	Stabiliser Link	L:170mm	55530 1H100
7	26HY2510	Stabiliser Link	L:243mm	54830 2H200
8	38HY1000	Silentblock for TCA	di:Ø14,2 do:Ø44	55130 4D000



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10KI3000	Ball Joint	c:Ø18	54530 3S100
2	17KI3000	Tie Rod End Left	c:Ø 13,4 th:FM16x1,5 RHT	56820 A6000
3	17KI3001	Tie Rod End Right	c:Ø 13,4 th:FM16x1,5 RHT	56820 A6090
4	20KI3000	Axial Joint	th:MM16x1,5 RHT L:218,5mm	56540 A6000
5	26KI3000	Stabiliser Link	L:282mm	54830 2V000
6	26KI3010	Stabiliser Link Rear	L:87mm	55530 3R000
7	38HY0310	Silentblock For TCA	di:Ø14,3 do:Ø70	54584 A6000

KIA

RIO

RIO II (JB)
RIO II Saloon (JB)



03/2005 -->



26HY0515

5



26HY0516

6



17HY0515

2



20HY0515

4



20HY0515

3



17HY0516

08 / 2006 -->



38HY0100

7



38HY0100



10KI2000

1



10KI2000

1


NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10KI2000	Ball Joint	th:M12x1,5 RHT cp:1/8 cs:Ø15	51760 1G000
2	17HY0515	Tie Rod End Left	c:Ø13,25 th:FM14x1,5 RHT	56820-1E000
3	17HY0516	Tie Rod End Right	c:Ø13,25 th:FM14x1,5 RHT	56820-1E900
4	20HY0515	Axial Joint	th:MM16x1,5 RHT L:196mm	57724-1E000
5	26HY0515	Stabiliser Link Left	L:285mm	54830 1E000
6	26HY0516	Stabiliser Link Right	L:285mm	54840 1E100
7	38HY0100	Silentblock For TCA	di:Ø12,1 do:Ø32	54551 2K000

KIA

RIO

RIO III (UB)
RIO III Saloon (UB)


09/2011 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17HY0520	Tie Rod End Left	c:Ø13,3 th:FM16x1,5 RHT	56820 0U500
2	17HY0521	Tie Rod End Right	c:Ø13,3 th:FM16x1,5 RHT	56820 0U590
3	20KI2010	Axial Joint	th:MM16x1,5 RHT L:217mm	56540 0U000
4	26KI3000	Stabiliser Link	L:282mm	54830 2V000

RIO III SALOON (RUSSIAN BUILT)

06/2011 ->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26KI3000	Stabiliser Link	L:282mm	54830 2V000
2	38HY0110	Silentblock For TCA	di:Ø12,2	54551 4L000
3	38HY0300	Silentblock For TCA	di:Ø14,5 do:Ø66	54584 3X000

KIA

SEDONA

SEDONA Mk II (VQ)



09/2005->



38HY1000



1



38HY1000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	38HY1000	Silentblock for TCA	di:Ø14,2 do:Ø44	OK2N1-34170A

SEPHIA

SEPHIA I (FA)

SEPHIA Saloon (FA)



09/1993 - 10/1997



10MZ02



1



10MZ02

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10MZ02	Ball Joint	c:Ø16	OK201-34550C

SEPHIA II (FB)



03/1996 - 12/2001



26KI1000



1



26KI1001



2

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26KI1000	Stabiliser Link Left	L:272mm	OK2N1 34170A
2	26KI1001	Stabiliser Link Right	L:272mm	OK2N1 34150A

KIA

SHUMA

SHUMA I (FB)
SHUMA II (FB)
SHUMA Saloon (FB)

02/1999 - 12/2001
05/2001 - 08/2004



◀ 1

26KI1000



2 ▶

26KI1001

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26KI1000	Stabiliser Link Left	L:272mm	OK2N1 34170A
2	26KI1001	Stabiliser Link Right	L:272mm	OK2N1 34150A

KIA
SORENTO

SORENTO I (JC)



08/2002 ->



17KI1000




17KI1001

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17KI1000	Tie Rod End Left	c:Ø13,9 th:FM14x1,5 RHT	56820 3E000
2	17KI1001	Tie Rod End Right	c:Ø13,9 th:FM14x1,5 RHT	56820 3E900

SORENTO II (XM)



09/2009 ->



26HY3000



17HY3000



17HY3001



26HY3001



10HY3000



10HY3000



26HY3005



38HY1000



38HY1000



26HY3005

2012 -->

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10HY3000	Ball Joint	c:Ø20 do:Ø42,75	54530 3B000
2	17HY3000	Tie Rod End Left	c:Ø13,9 th:FM16x1,5 RHT	56820 2P900
3	17HY3001	Tie Rod End Right	c:Ø13,9 th:FM16x1,5 RHT	56820 2P000
4	26HY3000	Stabiliser Link Left	L:340mm	54830 2B200
5	26HY3001	Stabiliser Link Right	L:340mm	54840 2B200
6	26HY3005	Stabiliser Link Rear	L:99mm	55530 2B200
7	38HY1000	Silentblock for TCA	di:Ø14,2 do:Ø44	55130 4D000



17HY2010

1

2



17HY2011



38HY0100

3



38HY0100

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17HY2010	Tie Rod End Left	c:Ø13,25 th:FM16x1,5 RHT	56820 2K000
2	17HY2011	Tie Rod End Right	c:Ø13,25 th:FM16x1,5 RHT	56820 2K050
3	38HY0100	Silentblock For TCA	di:Ø12,1 do:Ø32	54551 2K000



26KI3000

4

4



26KI3000



17KI3000

2



17KI3001

3



10KI3000

1

1



10KI3000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10KI3000	Ball Joint	c:Ø18	54530 3S100
2	17KI3000	Tie Rod End Left	c:Ø 13,4 th:FM16x1,5 RHT	56820 A6000
3	17KI3001	Tie Rod End Right	c:Ø 13,4 th:FM16x1,5 RHT	56820 A6090
4	26KI3000	Stabiliser Link	L:282mm	54830 2V000



26KI1000

◀ 1



26KI1001

2 ▶

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26KI1000	Stabiliser Link Left	L:272mm	0K2N1-34170A
2	26KI1001	Stabiliser Link Right	L:272mm	0K2N1-34150A

KIA
SPECTRA

SPECTRA (LD)
SPECTRA Saloon (LD)



04/2004 - 12/2009
04/2004 - 12/2009



5

26KI0200



6

26KI0201



17HY0500

2

20KI0200

3

2

20KI0200

2



17HY0500



1

10HY0500



1

10HY0500



4

26HY0605



4

26HY0605

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10HY0500	Ball Joint		54530 31600
2	17HY0500	Tie Rod End		56820 25000
3	20KI0200	Axial Joint		57724 2D000
4	26HY0605	Stabiliser Link Rear		55530 17010
5	26KI0200	Stabiliser Link Left		54830 2F000
6	26KI0201	Stabiliser Link Right		54840 2F000

KIA

SPORTAGE

SPORTAGE (SL)



07/2010->

01/2014 >



26KI3000

01/2014 >



26KI3000



2WD



26KI3010



38HY1000



38HY1000

2WD




26KI3010

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26KI3000	Stabiliser Link	L:282mm	54830 2V000
2	26KI3010	Stabiliser Link	L:87mm	55530 3R000
3	38HY1000	Silentblock for TCA	di:Ø14,2 do:Ø44	55130 4D000

SPORTAGE (QL)



09/2015 ->



26KI3000



26KI3000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	26KI3000	Stabiliser Link	L:282mm	54830 2V000



26HY2010

4



26HY2011

5



17HY2010

2



17HY2011

3



10HY0500

1



38HY0100

6



38HY0100

1



10HY0500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10HY0500	Ball Joint	th:M12x1.25 RHT cp:1/8 cs:Ø15 do:Ø40	54530 31600
2	17HY2010	Tie Rod End Left	c:Ø13,25 th:FM16x1,5 RHT	56820 2K000
3	17HY2011	Tie Rod End Right	c:Ø13,25 th:FM16x1,5 RHT	56820 2K050
4	26HY2010	Stabiliser Link Left	L:216mm	54830 1J000
5	26HY2011	Stabiliser Link Right	L:216mm	54840 1J000
6	38HY0100	Silentblock For TCA	di:Ø12,1 do:Ø32	54551 2K000