

SKODA

100

100

105

110

120

130

01 / 1970 - 12 / 1977

08 / 1976 - 12 / 1990

12 / 1969 - 03 / 1982

08 / 1976 - 12 / 1990

02 / 1985 - 10 / 1991



17SK0501



1



17SK0501

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	17SK0501	Ball Joint	c:Ø10,9 th:FM12x1 RHT	111 500 440



5



38AU2000

8
Ø 16



38AU2000



5



10

38VW1271



38VW1270

9



38VW1270



10

38VW1271



3

17VW2010



38AU1200

6



38AU1200



4

17VW2011



1

10AU1200



38AU1205

7



38AU1205



2

10AU1201

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
6	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
7	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
8	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
9	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
10	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C

SKODA

FABIA


FABIA I (6Y2, 6Y3, 6Y5)





12 / 1999 - 03 / 2008



PS SMI Steering



PS TRW Steering



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	20VW2010	Axial Joint	th:MM16x1,5 RHT L:302,5mm	6Q0 423 804 C
6	20VW2015	Axial Joint	th:MM14x1.5 RHT L:296mm	6Q0 423 804 E
7	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
8	29VW2010	Tie Rod Left		6Q0 423 803 G
9	29VW2011	Tie Rod Right		6Q0 423 804 G
10	29VW2015	Tie Rod Left		6Q0 423 803 B
11	29VW2016	Tie Rod Right		6Q0 423 804 B
12	38AU1215	Stabiliser Mounting	di:Ø17	6Q0 411 314 Q
13	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
17	38VW2000	Stabiliser Mounting	di:Ø20,8	8Z0411314B

SKODA

FABIA

FABIA I (6Y2, 6Y3, 6Y5)



12 / 1999 - 03 / 2008



1

10VW2010



2

10VW2011



14

38VW1260



38VW1260



15

38VW1500

Ø 72



38VW1500



16

38VW1502

Ø 69



38VW1502

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW2010	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 365 M
2	10VW2011	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 366 A
14	38VW1260	Silenblock for TCA	do:Ø63	1K0 407 183 E
15	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 C
16	38VW1502	Mounting Axle Body	di:Ø12,5 do:Ø69,2	1J0 501 541 D


SKODA

FABIA



FABIA II (542, 5J)
FABIA COMBI II (545, 5J_)



12 / 2006 - 12 / 2014
10 / 2007 - 12 / 2014



01 / 2009 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
5	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
6	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
7	20VW2015	Axial Joint	th:MM14x1.5 RHT L:296mm	6Q0 423 804 E
8	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
9	29VW2015	Tie Rod Left		6Q0 423 803 B
10	29VW2016	Tie Rod Right		6Q0 423 804 B
13	38AU1215	Anti-roll Bar Bushing Kit	di:Ø17	6Q0 411 314 Q
15	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
16	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C
17	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P

SKODA

FABIA

FABIA II (542, 5J)
FABIA COMBI II (545, 5J_)



12 / 2006 - 12 / 2014
10 / 2007 - 12 / 2014

--> 03 / 2008
Chas. --> 5J-83172973 / --> 5J-8A502656 / --> 5J-8B503031 / --> 5J-8K450960



1

10VW2010



2

10VW2011



38VW1260

14



38VW1260

--> 03 / 2008
Chas. --> 5J-83172973 / --> 5J-8A502656 / --> 5J-8B503031 / --> 5J-8K450960



3

10AU1200



38AU1200

11



38AU1200



38AU1205

12



38AU1205



4

10AU1201



38VW1500

18

Ø 72



38VW1500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW2010	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 365 M
2	10VW2011	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 366 A
3	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
4	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
11	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
12	38AU1205	Stabiliser Mounting	di:Ø13 do:Ø60	6Q0 411 314 Q
14	38VW1260	Silentblock for TCA	do:Ø63	1K0 407 183 E
18	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 D

SKODA

FABIA

FABIA III (NJ3)
FABIA COMBI III (NJ5)

08 / 2014 -->

10 / 2014 -->





NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
6	30AU1200	TCA Left		6R0 407 151 F
7	30AU1201	TCA Right		6R0 407 152 F
8	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
9	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
10	38AU1215	Stabiliser Mounting	di:Ø17	6Q0 411 314 Q
11	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
12	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
13	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C
14	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 D

SKODA

FAVORIT

FAVORIT (781)
FAVORIT FORMAN (785)
FAVORIT PICK-UP (787)

05 / 1989 - 09 / 1994
08 / 1991 - 06 / 1995
06 / 1992 - 06 / 1997



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10SK1000	Ball Joint	c:Ø17	6U0 407 365
2	17SK1000	Tie Rod End	c:Ø12,6 th:FM12x1 RHT	6U0 422 811
3	20SK1003	Axial Joint	L:330mm	115 500 420
4	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
5	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181

SKODA



FELICIA

FELICIA (6U1)
FELICIA COMBI (6U5)
FELICIA PICK-UP (6U6, 6U7, 6UF)




10 / 1994 - 06 / 2001
07 / 1995 - 06 / 2001
10 / 1995 - 02 / 2002


PS



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10SK1000	Ball Joint	c:Ø17	6U0 407 365
2	17SK1000	Tie Rod End	c:Ø12,6 th:FM12x1 RHT	6U0 422 811
3	20SK1501	Axial Joint	th:FM14x1,5 RHT L:353mm	6U0 422 807
4	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1202	Tie Rod End Left		1K0 423 811 J
4	17AU1203	Tie Rod End Right		1K0 423 812 J
5	20VW1200	Axial Joint		561 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
8	30VW1606	TCA Left		3Q0 407 151 E
9	30VW1607	TCA Right		3Q0 407 152 E
10	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
11	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
12	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1202	Tie Rod End Left		1K0 423 811 J
4	17AU1203	Tie Rod End Right		1K0 423 812 J
5	20VW1200	Axial Joint		561 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
8	30VW1606	TCA Left		3Q0 407 151 E
9	30VW1607	TCA Right		3Q0 407 152 E
10	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
11	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
12	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E

SKODA

OCTAVIA

OCTAVIA I (1U2)
OCTAVIA COMBI I (1U5)



09 / 1996 - 12 / 2010



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
10	26VW1500	Stabiliser Link	L:105mm	1J0 411 315 J
11	26VW1502	Stabiliser Link	L:105mm Plastic	1J0 411 315 K
12	26VW1510	Stabiliser Link Left	L:335,5mm	1J0 411 315 D
13	26VW1511	Stabiliser Link Right	L:335,5mm	1J0 411 316 D
21	38AU3000	Stabiliser Mounting	di:Ø20,8	1J0 411 314 T
22	38AU3001	Stabiliser Mounting	di:Ø16,7	1J0 411 314 T
23	38AU3002	Stabiliser Mounting	di:Ø19,7	1J0 411 314 T
24	38AU3003	Stabiliser Mounting	di:Ø20,8	1J0 411 314 T
25	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
26	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C

SKODA

OCTAVIA

OCTAVIA I (1U2)
OCTAVIA COMBI I (1U5)




09 / 1996 - 12 / 2010

-- > CHAS. 1U-W-061-000



CHAS. 1U-W-061-001 -- >



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1501	Ball Joint Right	th:M12x1,5 RHT cp:1/5 cs:Ø15	1J0 407 366 J
2	10VW1502	Ball Joint Left	th:M12x1,5 RHT cp:1/5 cs:Ø15	1J0 407 365 J
3	17VW1235	Tie Rod End Right	c:Ø13,3 th:FM14x1,5 RHT	1J0 422 812 A
4	17VW1255	Tie Rod End Left	c:Ø13,3 th:FM14x1,5 RHT	1J0 422 811 A
5	17VW1260	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 811 B
6	17VW1261	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 812 B
7	20VW0500	Axial Joint	th:MM16x1,5 RHT L:318,5mm	1J0 422 807 A
8	20VW0501	Axial Joint	th:MM16x1,5 RHT L:335,5mm	1J0 422 821 B
14	29VW1260	Tie Rod Left		1J0 422 803 H
15	29VW1261	Tie Rod Right		1J0 422 804 H
16	30VW1501	TCA Left		1J0 407 151 A
17	30VW1502	TCA Right		1J0 407 151 B
19	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
20	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181


SKODA

OCTAVIA

OCTAVIA I (1U2)
OCTAVIA COMBI I (1U5)



09 / 1996 - 12 / 2010



4 X 4



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
9	26AU1205	Stabiliser Link Rear	L:194,5mm	1J0 505 466 C
18	38AU0100	Stabiliser Mounting	di:Ø10,8	8D0 511 327 C
27	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 C
28	38VW1502	Mounting Axle Body	di:Ø12,5 do:Ø69,2	1J0 501 541 D


SKODA

OCTAVIA

OCTAVIA II (1Z3)
OCTAVIA COMBI II (1Z5)



02 / 2004 - 03 / 2013



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
8	30VW1600	TCA Left		1K0 407 151 BC
9	30VW1601	TCA Right		1K0 407 152 BC
13	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
14	38VW1261	Silentblock for TCA		1K0 199 232 J
15	38VW1262	Silentblock for TCA		1K0 199 231 J



OCTAVIA TOUR



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 C
10	30VW1608	TCA Left		1K0 407 151 BG
11	30VW1609	TCA Right		1K0 407 152 BG
12	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
13	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
16	38VW7000	Silentblock for TCA	di:Ø13,8 do:Ø65	1K0 407 183 M


SKODA

OCTAVIA



OCTAVIA III (5E3, NL3, NR3)
OCTAVIA COMBI III (5E5, 5E6)




11 / 2012 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left		1K0 407 365 C
2	10VW1601	Ball Joint Right		1K0 407 366 C
5	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
6	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
7	17AU1202	Tie Rod End Left		1K0 423 811 J
8	17AU1203	Tie Rod End Right		1K0 423 812 J
9	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
10	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
12	30VW1602	TCA Left		5Q0 407 151 L S1
13	30VW1603	TCA Right		5Q0 407 152 L S1
17	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
18	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
4	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
11	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
14	30VW1612	TCA Left		5Q0 407 151 L S2
15	30VW1613	TCA Right		5Q0 407 152 L S2
16	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
17	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
18	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
6	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
7	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
8	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
9	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
10	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C

SKODA

RAPID


RAPID II (NH3)
RAPID SPACEBACK (NH1)



07 / 2012 -->
09 / 2013 -->



HYDRO. PS



ELEC. PS



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	20VW2020	Axial Joint	th:MM14x1.5 RHT L:312,5mm	6R0 423 810
6	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
7	29VW2010	Tie Rod Left		6Q0 423 803 G
8	29VW2011	Tie Rod Right		6Q0 423 804 G
13	38AU1215	Stabiliser Mounting	di:Ø17	6Q0 411 314 Q
14	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
15	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C

SKODA

RAPID

RAPID II (NH3)

RAPID SPACEBACK (NH1)



07 / 2012 -->

09 / 2013 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
9	30AU1200	TCA Left		6R0 407 151 F
10	30AU1201	TCA Right		6R0 407 152 F
11	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
12	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181

SKODA

ROOMSTER

ROOMSTER (5J)
ROOMSTER PRAKTIK (5J)



09 / 2006 - 04 / 2015
09 / 2007 - 04 / 2015



26VW2010



26VW2010

01/2009 ->
CHAS 5J-9B601 132 -> / CHAS 5J-95032 165 ->



38VW1270



38VW1270



38VW1271

SMI Steering



17VW2010



20VW2010



20VW2010



17VW2011



29VW2010



29VW2011

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
5	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
6	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
7	20VW2010	Axial Joint	th:MM16x1,5 RHT L:302,5mm	6Q0 423 804 C
9	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
10	29VW2010	Tie Rod Left		6Q0 423 803 G
11	29VW2011	Tie Rod Right		6Q0 423 804 G
17	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
18	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C

SKODA


ROOMSTER

ROOMSTER (5J)
ROOMSTER PRAKTIK (5J)



09 / 2006 - 04 / 2015
09 / 2007 - 04 / 2015


TRW Steering



--> Chas. 5J-8B600-704
--> Chas. 5J-85069-020



Chas. 5J-8B600-705 -->
Chas. 5J-85069-021 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	10VW2010	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 365 M
4	10VW2011	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 366 A
5	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
6	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
8	20VW2015	Axial Joint	th:MM14x1.5 RHT L:296mm	6Q0 423 804 E
12	29VW2015	Tie Rod Left		6Q0 423 803 B
13	29VW2016	Tie Rod Right		6Q0 423 804 B
14	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
15	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
16	38VW1260	Silenblock for TCA	do:Ø63	1K0 407 183 E

SKODA

ROOMSTER

ROOMSTER (5J)

ROOMSTER PRAKTIK (5J)




09 / 2006 - 04 / 2015

09 / 2007 - 04 / 2015




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
19	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 C




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17VW2500	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
4	17VW2501	Tie Rod End Reinforced	th:MM14x1,5 RHT	4B0 419 811 E
5	20VW2500	Axial Joint	th:MM16x1,5 RHT L:130mm	8E0 422 821
6	23AU0200	TCA Right	c:Ø16 L:272,5mm	8E0 407 506 P
7	23AU0201	TCA Left	c:Ø16 L:272,5mm	8E0 407 505 P
8	23AU0203	TCA Right	c:Ø16 L:250mm	4D0 407 510 K
9	23AU0204	TCA Left	c:Ø16 L:250mm	4D0 407 509 K
10	23AU0220	TCA Right	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 694 AG
11	23AU0221	TCA Left	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 693 AG
14	26AU0210	Stabiliser Link Left	L:90mm	8D0 411 317 D
15	26AU0211	Stabiliser Link Right	L:90mm	8D0 411 318 D
16	29VW2500	Tie Rod End		4B0 419 801 M
17	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C
20	38AU4001	Silentblock for TCA	di:Ø12,1 do:Ø64	4D0 407 183 AC




--> Chas. 3U-3-021-397



Chas. 3U-3-021-398 -->



--> Chas. 3U-3-021-397



Chas. 3U-3-021-398 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	13AU0200	Suspension Kit		8D0 498 998
2	13AU0201	Suspension Kit		4B3 498 998
12	23AU0230	TCA Left & Right	c:1:6 th:M12x1.5 RHT L:269mm	4D0 407 151 P
13	23AU0250	TCA Left & Right	c:1:6 th:M12x1.5 RHT L:364mm	4D0 407 151 E
18	38AU0230	Silentblock for TCA		4D0 407 182 G
19	38AU0231	Silentblock for TCA		4D0 407 181 H


SKODA

SUPERB

SUPERB II (3T4)
SUPERB COMBI II (3T5)



07 / 2008 - 05 / 2015
10 / 2009 - 05 / 2015



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
8	30VW1600	TCA Left		1K0 407 151 BC
9	30VW1601	TCA Right		1K0 407 152 BC
13	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
14	38VW1261	Silentblock for TCA		1K0 199 232 J
15	38VW1262	Silentblock for TCA		1K0 199 231 J

SKODA

SUPERB

SUPERB II (3T4)
SUPERB COMBI II (3T5)



07 / 2008 - 05 / 2015
10 / 2009 - 05 / 2015

08/2010 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 C
10	30VW1608	TCA Left		1K0 407 151 BG
11	30VW1609	TCA Right		1K0 407 152 BG
12	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
13	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
16	38VW7000	Silentblock for TCA	di:Ø13,8 do:Ø65	1K0 407 183 M


SKODA

SUPERB


SUPERB III (3V3)
SUPERB COMBI III (3V5)



03 / 2015 -->
03 / 2015 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1202	Ball Joint Left		1K0 423 811 K
4	17AU1203	Ball Joint Right		1K0 423 812 K
5	20VW1200	Axial Joint		561 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
8	30VW1606	TCA Left		3Q0 407 151 E
9	30VW1607	TCA Right		3Q0 407 152 E
10	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
11	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
12	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
8	30VW1600	TCA Left		1K0 407 151 BC
9	30VW1601	TCA Right		1K0 407 152 BC
10	30VW1608	TCA Left		1K0 407 151 BG
11	30VW1609	TCA Right		1K0 407 152 BG
13	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
14	38VW1261	Silentblock for TCA		1K0 199 232 J
15	38VW1262	Silentblock for TCA		1K0 199 231 J
16	38VW7000	Silentblock for TCA	di:Ø13,8 do:Ø65	1K0 407 183 M



SKODA

YETI

YETI (5L)



05 / 2009 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 C
12	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A