


VOLKSWAGEN

AMAROK

AMAROK (2H, S1B)



09 / 2010 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1300	Ball Joint Upper		2H0 407 021 B
2	17AU1300	Tie Rod End Right	c:Ø16,5 th:FM16x1,5 RHT	7L0 422 817 D
3	17AU1301	Tie Rod End Left	c:Ø16,5 th:FM16x1,5 RHT	7L0 422 818 D
4	20AU1300	Axial Joint	th:MM16x1,5 RHT L:288,5mm	7L0 422 803 B*
5	29AU1300	Tie Rod Left		7L0 422 804 B
6	29AU1301	Tie Rod Right		7L0 422 803 B


VOLKSWAGEN

ARTEON

ARTEON (3H7)



04 / 2017 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20VW1200	Axial Joint		5Q0 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
8	38AU3020	Silentblock For TCA	di:Ø12,2 do:Ø39,5	5Q0 407 183 E
9	38AU3021	Silentblock For TCA	di:Ø13,2 do:Ø65	1K0 407 182
10	38AU3030	Silentblock For TCA	di:Ø12,2 do:Ø39,5	1K0 407 182



VOLKSWAGEN

BEETLE

BEETLE (5C1, 5C2)
BEETLE CABRIO (5C7)



04 / 2011 -->
12 / 2012 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20VW1200	Axial Joint		5Q0 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
10	38VW7000	Silentblock for TCA	di:Ø13,8 do:Ø65	1K0 407 183 M

BORA

BORA (1J2)
BORA VARIANT (1J6)



10/1998 - 09/2005
05/1999 - 05/2005



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1501	Ball Joint Right	th:M12x1,5 RHT cp:1/5 cs:Ø15	1J0 407 366 J
2	10VW1502	Ball Joint Left	th:M12x1,5 RHT cp:1/5 cs:Ø15	1J0 407 365 J
3	17VW1260	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 811 B
4	17VW1261	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 812 B
5	20VW0501	Axial Joint	th:MM16x1,5 RHT L:335,5mm	1J0 422 821 B
12	29VW1260	Tie Rod Left		1J0 422 803 H
13	29VW1261	Tie Rod Right		1J0 422 804 H
14	30VW1501	TCA Left		1J0 407 151 C S1
15	30VW1502	TCA Right		1J0 407 151 C S2
17	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
18	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
19	38AU1210	Silentblock for TCA	di:Ø13,5 do:Ø60,5	6R0 407 181 B

VOLKSWAGEN

BORA

BORA (1J2)
BORA VARIANT (1J6)



10/1998 - 09/2005
05/1999 - 05/2005



27

38VW1500
Ø 72



27

38VW1500
Ø 72



28

38VW1502
Ø 69



28

38VW1502
Ø 69

4-Motion



7

26AU1205
HEAVY DUTY SUSP.



7

26AU1205
HEAVY DUTY SUSP.



6

26AU1200



6

26AU1200



16

38AU0100



16

38AU0100

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
6	26AU1200	Stabiliser Link Rear	L:175mm	1J0 505 466 B
7	26AU1205	Stabiliser Link Rear	L:194,5mm	1J0 505 466 C
16	38AU0100	Anti-roll Bar Bushing Kit	di:Ø10,8	8D0 511 327 C
27	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 C
28	38VW1502	Mounting Axle Body	di:Ø12,5 do:Ø69,2	1J0 501 541 D



VOLKSWAGEN

CC

PASSAT CC (357)
CC (358)



05/2008 - 01/2012
11/2011 - 12/2016



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1202	Tie Rod End Left		1K0 423 811 J
4	17AU1203	Tie Rod End Right		1K0 423 812 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link	L:95,3mm	1K0 505 465 C
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38VW1606	Silentblock for TCA		3C0 199 231 A
10	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182


VOLKSWAGEN

CADDY

CADDY I (14)



08 1982 - 07 / 1992



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1001	Ball Joint	c:Ø17	171 407 365 G
2	17VW1005	Tie Rod End	c:Ø12,5 th:FM14x1,5 RHT	171 419 812
3	20VW1010	Axial Joint	th:FM22x1,5 RHT L:329,5mm	171 419 804 A
4	29VW1020	Tie Rod		171 419 804
5	38VW1000	Silenblock for TCA		171 407 182 D
6	38VW1005	Silenblock for TCA	di:Ø15	171 407 181 A

VOLKSWAGEN

CADDY

CADDY II (9K9)



11 / 1995 - 02 / 2004



26VW1210

6



38VW1020

9

Ø 19



38VW1020

6



26VW1210

-> CHAS 9K-1-523-000



17VW1250

3

-> CHAS 9K-1-523-000



17VW1230

2

CHAS 9K-1-523-001 ->



17VW2021

5

CHAS 9K-1-523-001 ->



17VW2020

4

7



38AU1200



10VW1100

1

8



38VW1010

1



10VW1100

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1100	Ball Joint	c:Ø19	357 407 365 A
2	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
3	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
4	17VW2020	Tie Rod End Right	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 811
5	17VW2021	Tie Rod End Left	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 812
6	26VW1210	Stabiliser Link	L:77mm	191 411 315 B
7	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
8	38VW1010	Silenblock for TCA	di:Ø17 do:Ø60	191 407 181 D
9	38VW1020	Stabiliser Mounting	di:Ø19	1H0 411 314

VOLKSWAGEN

CADDY

CADDY II (9U7 PICK-UP)



11 / 1995 - 02 / 2004



4

26VW1210



4

26VW1210



17SK1000

2



20SK1501

3



20SK1501

2



17SK1000



10SK1000

1

1



10SK1000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10SK1000	Ball Joint	c:Ø17	6U0 407 365
2	17SK1000	Tie Rod End	c:Ø12,6 th:FM12x1 RHT	6U0 422 811
3	20SK1501	Axial Joint	th:FM14x1,5 RHT L:353mm	6U0 422 807
4	26VW1210	Stabiliser Link	L:77mm	191 411 315 B


VOLKSWAGEN

CADDY

CADDY III (2K, 2)



02 / 2004 - 05 / 2015



--> CHAS 2K-B-005 000
06/2009 - 06/2010



CHAS 2KB200 001>
06/2010 ->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
8	30VW1600	TCA Left		1K0 407 151 BC S1
9	30VW1601	TCA Right		1K0 407 152 BC S2
10	30VW1608	TCA Left		1K0 407 151 BG
11	30VW1609	TCA Right		1K0 407 152 BG
12	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
13	38VW1261	Silentblock for TCA		1K0 199 232 J
14	38VW1262	Silentblock for TCA		1K0 199 231 J
16	38VW7000	Silentblock for TCA	di:Ø13,8 do:Ø65	1K0 407 183 M

VOLKSWAGEN


CADDY

CADDY III (2K, 2)



02 / 2004 - 05 / 2015

-> CHAS 2K-4-016 000 (Cast Iron TCA)
CHAS 2K-4-016 001 -> (Sheet Metal TCA) -> 06/2009



Chas. 2K-B-200 001 --> (Sheet Metal TCA) 06 / 2010 -->



Exc. 4 Motion



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
7	26VW1610	Stabiliser Link Rear	L:240,5mm	2K0 505 465 E
12	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
13	38VW1261	Silentblock for TCA		1K0 199 232 J
14	38VW1262	Silentblock for TCA		1K0 199 231 J
15	38VW3000	Stabiliser Mounting	di:Ø19	2K0 511 413 D
16	38VW7000	Silentblock for TCA	di:Ø13,8 do:Ø65	1K0 407 183 M


VOLKSWAGEN

CADDY

CADDY IV (SA)



05 / 2015 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1610	Stabiliser Link Rear	L:240,5mm	2K0 505 465 E
8	30VW1608	TCA Left		1K0 407 151 BG
9	30VW1609	TCA Right		1K0 407 152 BG
10	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
11	38VW3000	Stabiliser Mounting	di:Ø19	2K0 511 413 D
12	38VW7000	Silentblock for TCA	di:Ø13,8 do:Ø65	1K0 407 183 M


VOLKSWAGEN

CORRADO


CORRADO (53I)




08 / 1989 - 12 / 1995



Exc. 2.9 VR6



2.9 VR6



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1100	Ball Joint	c:Ø19	357 407 365 A
2	10VW1105	Ball Joint	th:M12x1,5 RHT cp:1/10 cs:Ø16,4	1H0 407 365
3	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
4	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
5	20VW1013	Axial Joint	th:MM14x1,5 RHT L:343,5mm	191 422 804 A*
6	26VW0100	Stabiliser Link	L:51,5mm	535 411 315
7	29VW1230	Tie Rod Right		191 422 804 A
8	29VW1250	Tie Rod Left		191 422 803 A
9	38VW1010	Silentblock for TCA		191 407 181 D
10	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182


VOLKSWAGEN

CRAFTER

CRAFTER (2E, 2F)



04/2006 - 12/2016



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10MR0101	Ball Joint	th:M20x1.5 RHT cp:1/6 cs:Ø21,8 do:Ø45,3	2E0 407 151 M
2	17MR0105	Tie Rod End	c:Ø16,7 th:FM16x1,5 RHT	2E0 498 104 A
3	20MR0101	Tie Rod Axle Joint	th:MM18x1.5 RHT L:397,5mm	2E0 713 491*
4	26MR0105	Stabiliser Link Left	L:138mm	2E0 411 317 C
5	26MR0106	Stabiliser Link Right	L:138mm	2E0 411 318 C
6	38MR0128	Strut Mount	di:Ø16,75	2E0 407 181 C
7	38MR0131	Mounting Leaf Spring		906 322 06 19
8	38MR0133	Stabiliser Mounting	di:Ø22,5	2E0 411 041 F
9	38MR0134	Stabiliser Mounting	di:Ø20	2E0 411 041 F
12	38VW5001	Stabiliser Mounting	di:Ø20	2E0 411 041 E
13	38VW5010	Silent Block for TCA	di:Ø14,2 do:Ø50,5	2E0 407 523
14	38VW5020	Silent Block for TCA	di:Ø14,2 do:Ø50,5	2E0 407 253 A
17	45MR0600	Engine Mounting	h:134mm thi:74,7mm thi:64,5mm	639 242 00 13


VOLKSWAGEN

CRAFTER


CRAFTER (2E, 2F)



04/2006 - 12/2016



Ø 31 --> 06 / 2012



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
10	38MR0136	Stabiliser Mounting	di:Ø30	2D0 511 413 C
11	38MR0710	Silentblock for Stabiliser Link	di:Ø12,1 do:Ø25,7	2D0 511 413
15	40MR0200	Bearing Drive Shaft	di:Ø47 h:138mm thi:45mm	2E0 598 351 C
16	40MR0210	Bearing Drive Shaft (FAG)	di:Ø47 h:138mm thi:45mm FAG	2E0 598 351 C

VOLKSWAGEN

CRAFTER

CRAFTER (SY_,SZ_)



09/2016 ->



5

26VW1800



6

26VW1801



2

17VW1800



20VW1800

4



20VW1800



3

17VW1801



1



10VW1800



1

10VW1800

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1800	Ball Joint		2N0 407 361 A
2	17VW1800	Tie Rod End Left		2N0 423 811
3	17VW1801	Tie Rod End Right		2N0 423 812
4	20VW1800	Axial Joint	th:MM18x1.5 RHT L:224mm	2N0 423 810
5	26VW1800	Stabiliser Link Left	L:380mm	2N0 411 317 C
6	26VW1801	Stabiliser Link Right	L:380mm	2N0 411 318 A



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Thrust Rod	L:95,3mm	1K0 505 465 K
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38VW1261	Silentblock for TCA		1K0 199 232 J
10	38VW1262	Silentblock for TCA		1K0 199 231 J
11	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182

VOLKSWAGEN

FOX


FOX (5Z1, 5Z3)




04/2005 - 12/2015



SMI Steering



TRW Steering



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	20VW2010	Axial Joint	th:MM16x1,5 RHT L:302,5mm	6Q0 423 804 C
6	20VW2015	Axial Joint	th:MM14x1.5 RHT L:296mm	6Q0 423 804 E
7	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
8	29VW2010	Tie Rod Left		6Q0 423 803 G
9	29VW2011	Tie Rod Right		6Q0 423 804 G
10	29VW2015	Tie Rod Left		6Q0 423 803 B
11	29VW2016	Tie Rod Right		6Q0 423 804 B
12	38AU1215	Stabiliser Mounting	di:Ø17	6Q0 411 314 Q
13	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P

VOLKSWAGEN

FOX

FOX (5Z1, 5Z3)



04/2005 - 12/2015



◀ 1

10VW2010



2 ▶

10VW2011



◀

14

▶



38VW1260

38VW1260



◀

15

▶



38VW1500

38VW1500

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW2010	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 365 M
2	10VW2011	Ball Joint	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 366 A
14	38VW1260	Silentblock for TCA	do:Ø63	1K0 407 183 E
15	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 C


VOLKSWAGEN

GOLF

GOLF I (17)



08 / 1974 - 12 / 1985



--> Chas. 178-3173-583



1



1

Chas. 178-3173-584 -->



2



38VW1000

6



38VW1000



38VW1005

7



38VW1005



2

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1000	Ball Joint	c:Ø15	171 407 365 D
2	10VW1001	Ball Joint	c:Ø17	171 407 365 F
3	17VW1005	Tie Rod End	c:Ø12,5 th:FM14x1,5 RHT	171 419 812
4	20VW1010	Axial Joint	th:FM22x1,5 RHT L:329,5mm	171 419 804 A
5	29VW1020	Tie Rod		171 419 804
6	38VW1000	Silentblock for TCA		171 407 182 D
7	38VW1005	Silentblock for TCA	di:Ø15	171 407 181 A

VOLKSWAGEN

GOLF


GOLF II (19E, 1G1)




08 / 1983 - 12 / 1992



MS



PS



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
4	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
5	20VW1011	Axial Joint	th:FM22x1.5 RHT L:370mm	191 419 803 A*
6	20VW1013	Axial Joint	th:MM14x1,5 RHT L:343,5mm	191 422 804 A*
7	26VW1210	Stabiliser Link	L:77mm	191 411 315 B
8	29VW1220	Tie Rod Right		191 419 803
9	29VW1221	Tie Rod Left		191 419 804
10	29VW1230	Tie Rod Right		191 422 804
11	29VW1250	Tie Rod Left		191 422 803
14	38VW1020	Stabiliser Mounting	di:Ø19	1H0 411 314

VOLKSWAGEN


GOLF

GOLF II (19E, 1G1)




08 / 1983 - 12 / 1992

--> Chas. 19-HB-990-000



Chas. 19-HB-990-001 -->




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1100	Ball Joint	c:Ø19	357 407 365 A
2	10VW1200	Ball Joint	c:Ø17	191 407 365 B
12	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
13	38VW1010	Silentblock for TCA	di:Ø17 do:Ø60	191 407 181 D

VOLKSWAGEN

GOLF

GOLF III (1H1)
GOLF III VARIANT (1H5)
GOLF III - IV CABRIO (1E7)


08 /1991 - 09 / 1997
07 /1993 - 04 / 1999
07 /1993 - 06 / 2002




16V / VR6 / GTI



1.4 / 1.6 / 1.8 / 1.9D



2.0 / 2.8 / 2.9



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1100	Ball Joint	c:Ø19	357 407 365 A
2	10VW1105	Ball Joint	th:M12x1.5 RHT cp:1/10 cs:Ø16,4	1H0 407 365
3	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
4	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
5	20VW1015	Axial Joint	th:MM14x1.5 RHT L:363mm	1H0 422 804 B*
6	26VW0100	Stabiliser Link	L:51,5mm	536 411 315
7	26VW1210	Stabiliser Link	L:77mm	191 411 315 B
8	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
9	38VW1010	Silentblock for TCA	di:Ø17 do:Ø60	191 407 181 D
10	38VW1020	Stabiliser Mounting	di:Ø19	1H0 411 314

VOLKSWAGEN

GOLF

GOLF III (1H1)

GOLF III VARIANT (1H5)

GOLF III - IV CABRIO (1E7)




08 /1991 - 09 / 1997

07 /1993 - 04 / 1999

07 /1993 - 06 / 2002

90 mm



Exc. Variant
50 mm



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
11	38VW1025	Mounting Axle Body	Mounting Axle Body	1H9 501 541 A
12	38VW1027	Mounting Axle Body	Mounting Axle Body	1H9 501 541

VOLKSWAGEN

GOLF

GOLF IV (1J1)



GOLF IV VARIANT (1J5)



08 / 1997 - 06 / 2005

05 / 1999 - 06 / 2006

-- > Chas no 1 J-X-999 000



'Chas no 1 J-1-480 001 -- >
4 Motion

'Chas no 1 J-1-480 001 -- >
4 Motion



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
11	26VW1500	Stabiliser Link	L:105mm	1J0 411 315 J
12	26VW1502	Stabiliser Link	L:105mm Plastic	1J0 411 315 K
13	26VW1510	Stabiliser Link	L:335,5mm	1J0 411 315 D
14	26VW1511	Stabiliser Link	L:335,5mm	1J0 411 316 D
23	38AU3000	Stabiliser Mounting	di:Ø20,8	1J0 411 314 T
24	38AU3001	Stabiliser Mounting	di:Ø16,7	1J0 411 314 T
25	38AU3002	Stabiliser Mounting	di:Ø19,7	1J0 411 314 T
26	38AU3003	Stabiliser Mounting	di:Ø20,8	1J0 411 314 T
27	38AU3010	Stabiliser Mounting	di:Ø14,5 do:Ø29	1J0 411 314 T
28	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
29	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C

VOLKSWAGEN

GOLF

GOLF IV (1J1)
GOLF IV VARIANT (1J5)



08 / 1997 - 06 / 2005
05 / 1999 - 06 / 2006



EXC. VARIANT

-> CHAS 1J-WP050832 / -> CHAS 1J-WD039150 / -> CHAS 1J-WB027484 / -> CHAS 1J-WW062359



GOLF + VARIANT

CHAS 1J-WP050833 -> / CHAS 1J-WD039151 -> / CHAS 1J-WB027485 -> / CHAS 1J-WW062360 ->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1501	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15	1J0 407 366 J
2	10VW1502	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15	1J0 407 365 J
3	17VW1235	Tie Rod End Right	c:Ø13,3 th:FM14x1,5 RHT	1J0 422 812 A
4	17VW1255	Tie Rod End Left	c:Ø13,3 th:FM14x1,5 RHT	1J0 422 811 A
5	17VW1260	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 811 B
6	17VW1261	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 812 B
7	20VW0500	Axial Joint	th:MM16x1,5 RHT L:318,5mm	1J0 422 807 A
8	20VW0501	Axial Joint	th:MM16x1,5 RHT L:335,5mm	1J0 422 821 B
15	29VW1260	Tie Rod Left		1J0 422 803 H
16	29VW1261	Tie Rod Right		1J0 422 804 H
17	30VW1501	TCA Left		1J0 407 151 C S1
18	30VW1502	TCA Right		1J0 407 151 C S2
20	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
21	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
22	38AU1210	Silentblock for TCA	di:Ø13,5 do:Ø60,5	6R0 407 181 B





VOLKSWAGEN

GOLF

GOLF IV (1J1)
GOLF IV VARIANT (1J5)



08 / 1997 - 06 / 2005
05 / 1999 - 06 / 2006





NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
9	26AU1200	Stabiliser Link Rear	L:175mm	1J0 505 466 B
10	26AU1205	Stabiliser Link Rear	L:194,5mm	1J0 505 466 C
19	38AU0100	Stabiliser Mounting Rear	di:Ø10,8	8D0 511 327 C
30	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 C
31	38VW1502	Mounting Axle Body	di:Ø12,5 do:Ø69,2	1J0 501 541 D

VOLKSWAGEN

GOLF

GOLF V (1K1)
GOLF V PLUS (5M1)
GOLF V VARIANT (1K5)

10 / 2003 - 02 / 2009
01 / 2005 - 02 / 2009
06 / 2007 - 07 / 2009




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 C
8	38AU1220	Silentblock for TCA Rear	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
10	38VW1261	Silentblock for TCA		1K0 199 232 J
11	38VW1262	Silentblock for TCA		1K0 199 231 J

VOLKSWAGEN

GOLF

GOLF VI (5K1)
GOLF VI PLUS (5M1)
GOLF VI VARIANT (AJ5)
GOLF VI CABRIO (517)

10 / 2008 - 11 / 2013
03 / 2009 - 01 / 2014
07 / 2009 - 07 / 2013
03/2011 - 04/2016



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1,5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1,5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 C
8	30VW1600	TCA Left		1K0 407 151 BC S1
9	30VW1601	TCA Right		1K0 407 152 BC S2
10	38AU1220	Silentblock for TCA Rear	di:Ø14,2 do:Ø38,7	1K0 505 203 A
11	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
12	38VW1261	Silentblock for TCA		1K0 199 232 J
13	38VW1262	Silentblock for TCA		1K0 199 231 J

VOLKSWAGEN

GOLF

GOLF VII (5G1, BQ1, BE1, BE2)
GOLF VII VARIANT (BA5, BV5)
GOLF VII SPORTSVAN (AM1)
GOLF VII ALLTRACK (BA5, BV5)

11/2012 -->
04/2013 -->
02/2014 -->
12/2014 -->



10



10

26VW1600

26VW1600

STEEL WHEEL BEARING HOUSING



17AU1201

6



20AU1200

9



20AU1200

5



17AU1200

ALU WHEEL BEARING HOUSING



17AU1202

7



20AU1200

9



20AU1200

8



17AU1203

STEEL WHEEL BEARING HOUSING



30VW1602

12



10VW1600

1

17



38AU3020

18



38AU3021

13



30VW1603

2



10VW1601

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1,5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1,5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
5	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
6	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
7	17AU1202	Tie Rod End Left		1K0 423 811 K
8	17AU1203	Tie Rod End Right		1K0 423 812 K
9	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
10	26VW1600	Stabiliser Link	L:335mm	5Q0 411 315 A
12	30VW1602	TCA Left		5Q0 407 151 R
13	30VW1603	TCA Right		5Q0 407 152 R
17	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
18	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E

VOLKSWAGEN


GOLF

GOLF VII (5G1, BQ1, BE1, BE2)
GOLF VII VARIANT (BA5, BV5)
GOLF VII SPORTSVAN (AM1)
GOLF VII ALLTRACK (BA5, BV5)



11 / 2012 -->
04 / 2013 -->
02 / 2014 -->
12/2014 ->

ALU WHEEL BEARING HOUSING



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
4	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
11	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
14	30VW1602	TCA Left		5Q0 407 151 M
15	30VW1603	TCA Right		5Q0 407 152 M
16	38AU1220	Silentblock for TCA Rear	di:Ø14,2 do:Ø38,7	1K0 505 203 A
17	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
18	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E


VOLKSWAGEN

JETTA

JETTA I (16)



08 / 1979 - 01 / 1985



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1001	Ball Joint	c:Ø17	171 407 365 G
2	17VW1005	Tie Rod End	c:Ø12,5 th:FM14x1,5 RHT	171 419 812
3	20VW1010	Axial Joint	th:FM22x1,5 RHT L:329,5mm	171 419 804 A
4	29VW1020	Tie Rod		171 419 804
5	38VW1000	Silentblock for TCA		171 407 182 D
6	38VW1005	Silentblock for TCA	di:Ø15	171 407 181 A

VOLKSWAGEN

JETTA


JETTA II (19E, 1G2)




01 / 1984 - 02 / 1992



MS



PS



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
4	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
5	20VW1011	Axial Joint	th:FM22x1,5 RHT L:370mm	191 419 803 A*
6	20VW1013	Axial Joint	th:MM14x1,5 RHT L:343,5mm	191 422 804 A*
7	26VW1210	Stabiliser Link	L:77mm	191 411 315 B
8	29VW1220	Tie Rod Right		191 419 803
9	29VW1221	Tie Rod Left		191 419 804
10	29VW1230	Tie Rod Right		191 422 804
11	29VW1250	Tie Rod Left		191 422 803
14	38VW1020	Stabiliser Mounting	di:Ø19	1H0 411 314

VOLKSWAGEN


JETTA

JETTA II (19E, 1G2)




01 / 1984 - 02 / 1992

--> Chas. 19-H-999999



Chas. 19-J-000001 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1100	Ball Joint	c:Ø19	357 407 365 A
2	10VW1200	Ball Joint	c:Ø17	191 407 365 B
12	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
13	38VW1010	Silentblock for TCA	di:Ø17 do:Ø60	191 407 181 D


VOLKSWAGEN

JETTA

JETTA III (1K2)



09 / 2005 - 10 / 2010



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38VW1261	Silentblock for TCA		1K0 199 232 J
10	38VW1262	Silentblock for TCA		1K0 199 231 J
11	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182


VOLKSWAGEN

JETTA

JETTA IV (162, 163)



04 / 2010 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
8	38AU1220	Silenblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3030	Silenblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
10	38VW7000	Silenblock for TCA	di:Ø13,8 do:Ø65	1K0 407 183 M

VOLKSWAGEN

LT

LT 28-35 | (281, 363)



04 / 1975 - 06 / 1996

Upper



10VW0705

◀ 2 ▶



10VW0705

Lower



10VW0700

◀ 1 ▶



10VW0700

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW0700	Ball Joint Lower		281 407 187 B
2	10VW0705	Ball Joint Upper		281 407 361

LT 40-55 | (293, 909)



04 / 1975 - 06 / 1996

Upper



10VW0705

◀ 2 ▶



10VW0705

Lower




10VW0700

◀ 1 ▶





10VW0700

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW0700	Ball Joint Lower	th:M20x1.5 RHT cp:1/10 cs:Ø23,7	281 407 187 B
2	10VW0705	Ball Joint Upper	th:M18x1.5 RHT cp:1/10 cs:Ø19,9	281 407 361



Only for LT Dumptruck



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10MR0100	Ball Joint	th:M20x1.5 RHT cp:1/10 cs:Ø23,5 do:Ø45,4	901 333 12 27
2	17MR0700	Tie Rod End	c:Ø18,15 th:FM16x1,5 RHT	901 460 01 48
3	17MR0900	Tie Rod End	c:Ø20,7 th:FM16x1,5 RHT	A 905 460 02 48
4	20MR0100	Axial Joint	th:MM16x1,5 RHT L:284mm	901 460 01 55
5	20MR0900	Axial Joint	th:MM18x1.5 RHT L:386mm	A 905 330 01 35
6	26MR0700	Stabiliser Link Left	L:115mm	901 320 02 89
7	26MR0701	Stabiliser Link Right	L:115mm	901 320 03 89
8	26MR0705	Stabiliser Link Left	L:129mm	905 320 04 89
9	26MR0706	Stabiliser Link Right	L:129mm	905 320 05 89
13	38MR0110	Control Arm Trailing Arm Bushing	L:95mm	901 333 02 14
16	38MR0119	Stabiliser Mounting	di:Ø14,1 do:Ø44	904 323 00 85
19	38MR0516	Stabiliser Mounting	di:Ø21,5	901 323 01 85
20	38MR0700	Stabiliser Mounting	di:Ø9 do:Ø26	901 323 02 85



EXC. LT 46



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
10	26MR0710	Stabiliser Link Rear	L:95mm	901 320 00 89
11	38MR0100	Spring Bush Rear	di:Ø12,2 do:Ø32,5	901 324 00 50
12	38MR0105	Spring Bush Rear	di:Ø12,2 do:Ø32,5	901 324 01 50
14	38MR0115	Spring Bush Rear	di:Ø12,1 do:Ø49,2	901 324 03 50
15	38MR0118	Stabiliser Mounting	di:Ø21,6	901 326 00 81
17	38MR0122	Stabiliser Mounting	di:Ø27	901 326 01 81
18	38MR0123	Stabiliser Mounting	di:Ø27	2D0 511 413 B
22	40MR0100	Shaft Hanger	di:Ø45 h:138mm thi:52mm	901 411 03 12
23	40MR0110	Drive Shaft Set		903 410 00 10
24	45MR0100	Engine Mounting	th1:M12x1,5 th2:M10x1,5	901 241 25 13
25	45MR0105	Engine Mounting	th1:M12x1,5 th2:M10x1,5	901 241 25 13
28	45MR0500	Mountin Automatic Transmission		601 240 07 18
29	99MR40	Bearing Journal	di:Ø9,9 th:M12x1.75 h:86mm	606 202 01 20

VOLKSWAGEN


LT

LT 28-35-46 II (2D_)



07 / 1996 - 07 / 2006

All



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
21	38MR0710	Stabiliser Mounting	di:Ø12,1 do:Ø25,7	601 321 03 50
26	45MR0110	Engine Mounting	di:Ø10.1 do:Ø72,5 h:88mm	901 242 14 13
27	45MR0115	Rubber Mount	h:136,5mm h:70mm thi:57mm	901 325 01 44

VOLKSWAGEN

LUPO

LUPO (6X1, 6E1)



04 / 1998 - 07 / 2005

MS



4

17VW1250



3

17VW1230

HYDRO PS ELEC. PS 1.2 TDI 3L



6

17VW2021



5

17VW2020

EXC. 1.4 AFK, AQQ, AUB. AMF,ARR - 1.2 TDI



1

10VW2005



2

10VW2006

1.4 AFK, AQQ, AUB. AMF



2

10VW2006



1

10VW2005

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW2005	Ball Joint Left	th:M10x1.25 RHT cp:1/10 cs:Ø14,6	6N0 407 365
2	10VW2006	Ball Joint Right	th:M10x1.25 RHT cp:1/10 cs:Ø14,6	6N0 407 365 A
3	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
4	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
5	17VW2020	Tie Rod End Right	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 811
6	17VW2021	Tie Rod End Left	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 812


VOLKSWAGEN

MULTIVAN

MULTIVAN T5 (7H_ , 7E_)



04 / 2003 - 08 / 2015



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW4500	Ball Joint	th:M14x1.5 RHT cp:1/6 cs:Ø18,2	7H0 407 361
2	17VW4500	Tie Rod End Left	c:Ø16,7 th:FM16x1,5 RHT	7E0 422 817 D
3	17VW4501	Tie Rod End Right	c:Ø16,7 th:FM16x1,5 RHT	7E0 422 818 D
4	20VW4500	Axial Joint	th:MM16x1,5 RHT L:179mm	7H0 419 803 B
5	26VW4500	Stabiliser Link	L:260mm	7H0 411 317
6	29VW4500	Tie Rod Left		7H0 419 803 D
7	29VW4501	Tie Rod Right		7H0 419 804 D
8	38VW4015	Silentblock for TCA	di:Ø14 do:Ø60	7H0 407 182
9	38VW4500	Silentblock for TCA		7H0 407 183
10	45VW4500	Strut Mount		7E0 412 331


VOLKSWAGEN

MULTIVAN

MULTIVAN T6 (SG_)



04 / 2015 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW4500	Ball Joint	th:M14x1.5 RHT cp:1/6 cs:Ø18,2	7H0 407 361
2	17VW4500	Tie Rod End Left	c:Ø16,7 th:FM16x1,5 RHT	7E0 422 817 D
3	17VW4501	Tie Rod End Right	c:Ø16,7 th:FM16x1,5 RHT	7E0 422 818 D
4	20VW4500	Axial Joint	th:MM16x1,5 RHT L:179mm	7H0 419 803 B
5	26VW4500	Stabiliser Link	L:260mm	7H0 411 317
6	29VW4500	Tie Rod Left		7H0 419 803 D
7	29VW4501	Tie Rod Right		7H0 419 804 D
8	38VW4015	Silentblock for TCA	di:Ø14 do:Ø60	7H0 407 182
9	38VW4500	Silentblock for TCA		7H0 407 183
10	45VW4500	Strut Mount		7E0 412 331


VOLKSWAGEN

NEW BEETLE

NEW BEETLE (9C1, 1C1)
NEW BEETLE CABRIO (1Y7)



01 / 1998 - 09 / 2010
03 / 2003 - 10 / 2010



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
10	26VW1500	Stabiliser Mounting	L:105mm	1J0 411 315 J
11	26VW1502	Stabiliser Mounting	L:105mm Plastic	1J0 411 315 K
12	26VW1510	Stabiliser Link Left	L:335,5mm	1J0 411 315 D
13	26VW1511	Stabiliser Link Right	L:335,5mm	1J0 411 316 D
22	38AU3000	Stabiliser Mounting	L:105mm	1J0 411 314 T
23	38AU3003	Stabiliser Mounting	L:105mm Plastic	1J0 411 314 T
24	38VW1270	Strut Mounting	L:335,5mm	1J0 412 331 C
25	38VW1271	Strut Mounting Kit	L:335,5mm	1J0 412 331 C

VOLKSWAGEN

NEW BEETLE

NEW BEETLE (9C1, 1C1)
NEW BEETLE CABRIO (1Y7)



01 / 1998 - 09 / 2010
03 / 2003 - 10 / 2010



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1501	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15	1J0 407 366 J
2	10VW1502	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15	1J0 407 365 J
3	17VW1235	Tie Rod End Right	c:Ø13,3 th:FM14x1,5 RHT	1J0 422 812 A
4	17VW1255	Tie Rod End Left	c:Ø13,3 th:FM14x1,5 RHT	1J0 422 811 A
5	17VW1260	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 811 B
6	17VW1261	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	1J0 422 812 B
7	20VW0500	Axial Joint	th:MM16x1,5 RHT L:318,5mm	1J0 422 807 A
8	20VW0501	Axial Joint	th:MM16x1,5 RHT L:335,5mm	1J0 422 821 B
14	29VW1260	Tie Rod Left		1J0 422 803 H
15	29VW1261	Tie Rod Right		1J0 422 804 H
16	30VW1501	TCA Left		1J0 407 151 A
17	30VW1502	TCA Right		1J0 407 151 B
19	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
20	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
21	38AU1210	Silentblock for TCA	di:Ø13,5 do:Ø60,5	6R0 407 181 B
26	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 C
27	38VW1502	Mounting Axle Body	di:Ø12,5 do:Ø69,2	1J0 501 541 D


VOLKSWAGEN

NEW BEETLE


NEW BEETLE (9C1, 1C1)
NEW BEETLE CABRIO (1Y7)



01 / 1998 - 09 / 2010
03 / 2003 - 10 / 2010



18



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
9	26AU1200	Stabiliser Link Rear	L:175mm	1J0 505 466 B
18	38AU0100	Stabiliser Mounting Rear	di:Ø10,8	1J0 422 804 H

PASSAT

PASSAT (32)



05 / 1973 - 03 / 1988



3



1



models years beetwen 01/1974 - 12/1978
-- > Chas. 328 2202 000



2



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU0000	Ball Joint	c:Ø17	823 407 365E
2	10AU0001	Ball Joint	c:Ø15	823 407 365 C
3	17VW2001	Tie Rod End	c:Ø10,5 th:MM14x1,5 RHT	811 419 812

VOLKSWAGEN


PASSAT

PASSAT II (32B)



08 / 1980 - 07 / 1990

MS
--> Chas. 32-B-040-821



MS / PS
Chas. 32-B-040-822 -->



MS / PS - Exc. ABS
-- > Chas. 32-D-099- 298
-- > Chas. 32-E-150- 000



PS
Chas. 32-D-099-299 -->
Chas. 32-E-150- 001 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU0000	Ball Joint	c:Ø17	823 407 365E
2	10AU0200	Ball Joint Left	c:Ø17	855 407 365 B
3	10AU0201	Ball Joint Right	c:Ø17	855 407 366 B
4	17VW2001	Tie Rod End	c:Ø10,5 th:MM14x1,5 RHT	811 419 812
5	17VW2005	Tie Rod End	c:Ø10,7 th:FM14x1,5 RHT	811 419 812 A


VOLKSWAGEN

PASSAT


PASSAT III (3A2, 35I)
PASSAT III VARIANT (3A5, 35I)



02 / 1988 - 08 / 1996
02 / 1988 - 05 / 1997



MS



PS - TRW
--> Chas. 3A-R-099-264



PS TRW CHAS 3A-R-099-265 ->
PS ZF -> CHAS 3A-R-099-264



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
4	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
5	20VW2000	Axial Joint	th:MM14x1.5 RHT L:357,5mm	357 422 803
6	20VW2005	Axial Joint	th:FM22x1.5 RHT L:387mm	357 419 803
7	26VW1200	Stabiliser Link	L:82mm	357 411 315 C
8	26VW1201	Stabiliser Link	L:82mm	357 411 315 D
9	26VW1202	Stabiliser Link	L:82mm	357 411 315

VOLKSWAGEN

PASSAT

PASSAT III (3A2, 35I)
PASSAT III VARIANT (3A5, 35I)



02 / 1988 - 08 / 1996
02 / 1988 - 05 / 1997

--> Chas. 31-N-250 989



10VW1100

1



38AU1200

10



38AU1200

1



10VW1100



38VW1010

11



38VW1010

Chas. 31-N-250 990 -->



10VW1105

2



38AU1200

10



38AU1200

2



10VW1105



38VW1010

11



38VW1010



38VW6000

12



38VW6000

12



38VW6000

12



38VW6000

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1100	Ball Joint	c:Ø19	357 407 365 A
2	10VW1105	Ball Joint	th:M12x1.5 RHT cp:1/10 cs:Ø16,4	1H0 407 365
10	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
11	38VW1010	Silentblock for TCA	di:Ø17 do:Ø60	191 407 181 D
12	38VW6000	Mounting Axle Body	di:Ø12,1	3A0 501 541

VOLKSWAGEN

PASSAT


PASSAT IV (3B2)

PASSAT IV Variant (3B5)



08 / 1996 - 10 / 2000

06 / 1997 - 11 / 2000



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
2	17VW2500	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
3	17VW2501	Tie Rod End Reinforced	th:MM14x1,5 RHT	4B0 419 811 E
4	20VW2500	Axial Joint	th:MM16x1,5 RHT L:130mm	8E0 422 821
5	23AU0200	TCA Right	c:Ø16 L:272,5mm	8E0 407 506 P
6	23AU0201	TCA Left	c:Ø16 L:272,5mm	8E0 407 505 P
7	23AU0203	TCA Right	c:Ø16 L:250mm	4D0 407 510 K
8	23AU0204	TCA Left	c:Ø16 L:250mm	4D0 407 509 K
13	26AU0210	Stabiliser Link Left	L:90mm	8D0 411 317 D
14	26AU0211	Stabiliser Link Right	L:90mm	8D0 411 318 D
15	29VW2500	Tie Rod		4B0 419 801 M
16	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C

VOLKSWAGEN

PASSAT

PASSAT IV (3B2)
PASSAT IV Variant (3B5)



08 / 1996 - 10 / 2000
06 / 1997 - 11 / 2000



23AU0221

10

19



38AU4001

9



23AU0220

18



38AU0231

11



23AU0230

11




23AU0230

17



38AU0230

1



13AU0200



26AU0204

12



12



26AU0204

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	13AU0200	Suspension Kit		8D0 498 998
9	23AU0220	TCA Right	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 694 AG
10	23AU0221	TCA Left	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 693 AG
11	23AU0230	TCA Left & Right	c:1:6 th:M12x1.5 RHT L:269mm	4D0 407 151 P
12	26AU0204	Stabiliser Link Rear	L:56,5mm Plastic	8E0 505 465 C
17	38AU0230	Silentblock for TCA		4D0 407 182 G
18	38AU0231	Silentblock for TCA		4D0 407 183 AC
19	38AU4001	Silentblock for TCA	di:Ø12,1 do:Ø64	4D0 407 183 AC


VOLKSWAGEN

PASSAT

PASSAT V (3B3)

PASSAT V Variant (3B6)

11 / 2000 - 02 / 2005



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	17VW2500	Tie Rod End	th:MM14x1,5 RHT	4B0 419 811 E
4	17VW2501	Tie Rod End Reinforced	th:MM14x1,5 RHT	4B0 419 811 E
5	20VW2500	Axial Joint	th:MM16x1,5 RHT L:130mm	8E0 422 821
6	23AU0200	TCA Right	c:Ø16 L:272,5mm	8E0 407 506 P
7	23AU0201	TCA Left	c:Ø16 L:272,5mm	8E0 407 505 P
8	23AU0203	TCA Right	c:Ø16 L:250mm	4D0 407 510 K
9	23AU0204	TCA Left	c:Ø16 L:250mm	4D0 407 509 K
10	23AU0220	TCA Right	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 694 AG
11	23AU0221	TCA Left	c:1:6 th:M12x1.5 RHT L:386,2mm	8E0 407 693 AG
15	26AU0210	Stabiliser Link Left	L:90mm	8D0 411 317 D
16	26AU0211	Stabiliser Link Right	L:90mm	8D0 411 318 D
17	29VW2500	Tie Rod End		4B0 419 801 M
18	38AU0101	Silentblock for TCA	di:Ø10,1 do:Ø46,5	8D0 407 515 C
21	38AU4001	Silentblock for TCA		4D0 407 183 AC

VOLKSWAGEN

PASSAT

PASSAT V (3B3)
PASSAT V Variant (3B6)



11 / 2000 - 02 / 2005


--> Chas. 3B-3-072-000



Chas. 3B-3-072-001 -->



--> Chas. 3B-3-072-000



Chas. 3B-3-072-001 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	13AU0200	Suspension Kit		8D0 498 998
2	13AU0201	Suspension Kit		4B3 498 998
12	23AU0230	TCA Left & Right	c:1:6 th:M12x1.5 RHT L:269mm	4D0 407 151 P
13	23AU0250	TCA Left & Right	c:1:6 th:M12x1.5 RHT L:364mm	4D0 407 151 E
19	38AU0230	Silentblock for TCA		4D0 407 182 G
20	38AU0231	Silentblock for TCA		4D0 407 181 H

VOLKSWAGEN

PASSAT

PASSAT V (3B3)
PASSAT V Variant (3B6)

11 / 2000 - 02 / 2005



◀ 14



14 ▶



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
14	26AU0204	Stabiliser Link Rear	L:56,5mm Plastic	8E0 505 465 C
22	13AU0202	Suspension Kit		4B0 419 811 B S3

VOLKSWAGEN

PASSAT



PASSAT VI (3C2)

PASSAT VI VARIANT (3C5)



03 / 2005 - 11 / 2010

08 / 2005 - 10 / 2011




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
10	38VW1606	Silentblock for TCA		3C0 199 231 A

VOLKSWAGEN

PASSAT

PASSAT VII (362)
PASSAT VII VARIANT (365)
PASSAT VII ALLTRACK (365)

08 / 2010 - 10 / 2014
08 / 2010 - 10 / 2014
01 / 2012 - 10 / 2014



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
10	38VW1606	Silentblock for TCA		3C0 199 231 A


VOLKSWAGEN

PASSAT

PASSAT VIII (3G2)
PASSAT VIII VARIANT (3G5)
PASSAT VIII ALLTRACK (3G5)



08/2014 -->
08/2014 -->
05/2015 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20VW1200	Axial Joint		561 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
8	30VW1606	TCA Left		3Q0 407 151 E
9	30VW1607	TCA Right		3Q0 407 152 E
10	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
11	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
12	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E



VOLKSWAGEN

CC

PASSAT CC (357)
CC (358)



05/2008 - 01/2012
11/2011 - 12/2016



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1202	Tie Rod End Left		1K0 423 811 J S2
4	17AU1203	Tie Rod End Right		1K0 423 812 J S2
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link	L:95,3mm	1K0 505 465 C
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38VW1606	Silentblock for TCA		3C0 199 231 A
10	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182


VOLKSWAGEN

PASSAT

PASSAT NMS (A3)



09 / 2011 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20VW1200	Axial Joint		561 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
10	38VW7000	Silentblock for TCA	di:Ø13,8 do:Ø65	1K0 407 183 M

VOLKSWAGEN

POLO

POLO (6N1)
POLO BOX (6NF)



10 / 1994 - 10 / 1999
09 / 1994 - 12 / 1999

MS
PS -> CHAS 6N-W-078-256



17VW1250

4

3



17VW1230

PS CHAS 6N-W-078-257 -> + GTI



17VW2021

6

5



17VW2020

14 " Wheels



10VW2005

1

2



10VW2006

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW2005	Ball Joint Left	th:M10x1.25 RHT cp:1/10 cs:Ø14,6	6N0 407 365
2	10VW2006	Ball Joint Right	th:M10x1.25 RHT cp:1/10 cs:Ø14,6	6N0 407 365 A
3	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
4	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
5	17VW2020	Tie Rod End Right	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 811
6	17VW2021	Tie Rod End Left	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 812

VOLKSWAGEN

POLO

POLO (6N2)



10 / 1999 - 09 / 2001

MS



4

17VW1250

3



17VW1230

PS 1.0 / 1.4 / 1.7 D



6

17VW2021

5



17VW2020

For 256 mm Brake Discs



1

10VW2005

For 256 mm Brake Discs



2

10VW2006

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW2005	Ball Joint Left	th:M10x1.25 RHT cp:1/10 cs:Ø14,6	6N0 407 365
2	10VW2006	Ball Joint Right	th:M10x1.25 RHT cp:1/10 cs:Ø14,6	6N0 407 365 A
3	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
4	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
5	17VW2020	Tie Rod End Right	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 811
6	17VW2021	Tie Rod End Left	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 812


VOLKSWAGEN

POLO

POLO CLASSIC (6KV2)
POLO VARIANT (6KV5)




11/1995 - 09/2001
05/1997 - 09/2001




NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1100	Ball Joint	c:Ø19	357 407 365 A
2	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
3	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
4	17VW2020	Tie Rod End Right	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 811
5	17VW2021	Tie Rod End Left	c:Ø12,65 th:FM14x1,5 RHT	6E0 419 812
6	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
7	38VW1010	Silentblock for TCA	di:Ø17 do:Ø60	191 407 181 D
8	38VW1020	Stabiliser Mounting	di:Ø19	1H0 411 314



SMI KOYO Steering



TRW Steering



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
5	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
6	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
7	20VW2010	Axial Joint	th:MM16x1,5 RHT L:302,5mm	6Q0 423 804 C
8	20VW2015	Axial Joint	th:MM14x1.5 RHT L:296mm	6Q0 423 804 E
9	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
10	29VW2010	Tie Rod Left		6Q0 423 803 G
11	29VW2011	Tie Rod Right		6Q0 423 804 G
12	29VW2015	Tie Rod Left		6Q0 423 803 B
13	29VW2016	Tie Rod Right		6Q0 423 804 B
16	38AU1215	Stabiliser Mounting	di:Ø17	6Q0 411 314 Q
17	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
21	38VW2000	Stabiliser Mounting	di:Ø20,8	8Z0411314B



-> 01/2009

--> Chas. 9N-9Y-035-000
 --> Chas. 9N-9Y-031-000
 --> Chas. 9N-9U-022-150



3

10VW2010

4



10VW2011



38VW1260

18



38VW1260

07/2008 ->

--> Chas. 9N-9Y-035-000
 --> Chas. 9N-9Y-031-000
 --> Chas. 9N-9U-022-150



3

10VW2010

4



10VW2011



38VW1260

18



38VW1260

05 / 2008 -- 11 / 2009

Chas. 9N-9Y-035-001 -->
 Chas. 9N-9Y-031-001 -->
 Chas. 9N-9U-022-151 -->



1

10AU1200



38AU1200

14



38AU1200

2



10AU1201



38AU1205

15



38AU1205

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	10VW2010	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 365 M
4	10VW2011	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,9	6Q0 407 366 A
14	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
15	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
18	38VW1260	Stabiliser Mounting	do:Ø63	1K0 407 183 E


VOLKSWAGEN

POLO

POLO (9N_)



10 / 2001 - 11 / 2009



NO	ASMETAL CODE	DESCRIPTION	MEASURES	
19	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 C
20	38VW1502	Mounting Axle Body	di:Ø12,5 do:Ø69,2	1J0 501 541 D


VOLKSWAGEN

POLO

POLO (6R_, 6C)



06 / 2009 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	20VW2020	Axial Joint	th:MM14x1.5 RHT L:312,5mm	6R0 423 810
6	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
7	30AU1200	TCA Left		6R0 407 151 F
8	30AU1201	TCA Right		6R0 407 152 F
9	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
10	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
11	38AU1215	Stabiliser Mounting	di:Ø17	6Q0 411 314 Q
12	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
13	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
14	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C
15	38VW1500	Mounting Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 D


VOLKSWAGEN

POLO

POLO SEDAN (61_)



05 / 2011 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
6	30AU1200	TCA Left		6R0 407 151 F
7	30AU1201	TCA Right		6R0 407 152 F
8	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
9	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
10	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
11	38VW1500	Mounitng Axle Body	di:Ø12,1 do:Ø71,5	1J0 501 541 D


VOLKSWAGEN

POLO


POLO (AW1)




06 / 2017 -->



1.0 TSI / GTI / SRE



1.0 TSI / 1.6 TDI / 2.0 GTI



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
6	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
7	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E

VOLKSWAGEN

SANTANA

SANTANA



08 / 1981 - 12 / 1984

MS/PS
--> Chas. 32-B-040-821



17VW2001



4



17VW2001

MS/PS
Chas. 32-B-040-822 -->



17VW2005



5



17VW2005

MS/PS
--> Chas. 32-E-150-000



10AU0000



1



10AU0000

PS
Chas . 32-E-150-000 -->



10AU0200



2



10AU0201

NO	ASMETAL CODE	DESCRIPTION	MEASURES	
1	10AU0000	Ball Joint	c:Ø17	823 407 365E
2	10AU0200	Ball Joint Left	c:Ø17	855 407 365 B
3	10AU0201	Ball Joint Right	c:Ø17	855 407 366 B
4	17VW2001	Tie Rod End	c:Ø10,5 th:MM14x1,5 RHT	811 419 812
5	17VW2005	Tie Rod End	c:Ø10,7 th:FM14x1,5 RHT	811 419 812 A


VOLKSWAGEN

SCIROCCO

SCIROCCO (53)
SCIROCCO (53B)



02 / 1974 - 07 / 1992
02 / 1974 - 07 / 1992



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1000	Ball Joint	c:Ø15	171 407 365 D
2	10VW1001	Ball Joint	c:Ø17	171 407 365 F
3	17VW1005	Tie Rod End	c:Ø12,5 th:FM14x1,5 RHT	171 419 812
4	20VW1010	Axial Joint	th:FM22x1,5 RHT L:329,5mm	171 419 804 A
5	29VW1020	Tie Rod		171 419 804
6	38VW1000	Silentblock for TCA		171 407 182 D
7	38VW1005	Silentblock for TCA	di:Ø15	171 407 181 A


VOLKSWAGEN

SCIROCCO

SCIROCCO (137)



09 / 2008 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 C
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
10	38VW1261	Silentblock for TCA		1K0 199 232 J
11	38VW1262	Silentblock for TCA		1K0 199 231 J


VOLKSWAGEN

SHARAN

SHARAN (7M8, 7M9, 7M6)



05 / 1995 - 03 / 2010



NO	ASMETAL CODE	DESCRIPTION	MEASURES	
1	10VW0500	Ball Joint	th:M14x1.5 RHT cp:1/10 cs:Ø18,45	7M3 407 365 C
2	17VW0500	Tie Rod End Left	c:Ø14,3 th:FM14x1,5 RHT	7M3 422 817
3	17VW0501	Tie Rod End Right	c:Ø14,3 th:FM14x1,5 RHT	7M3 422 818
4	20VW0600	Axial Joint	th:MM14x1.5 RHT L:185,5mm	7M3 422 803
5	26VW0500	Stabiliser Link	L:205mm	7M3 411 317



VOLKSWAGEN

SHARAN

SHARAN (7N1, 7N2)



05 / 2010 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
8	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
10	38VW1606	Silentblock for TCA		3C0 199 231 A

VOLKSWAGEN

T-ROC

T-ROC (A11)



07 / 2017 -->



8



8



6



20AU1200

7



20AU1200

5



17AU1200

STEEL WHEEL BEARING HOUSING



10

14



38AU3020

11



30VW1603



1

15



38AU3021

2



10VW1601

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
5	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
6	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
7	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
8	26VW1600	Stabiliser Link	L:335mm	5Q0 411 315 A
10	30VW1602	TCA Left		5Q0 407 151 R
11	30VW1603	TCA Right		5Q0 407 152 R
14	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
15	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E

VOLKSWAGEN


T-ROC

T-ROC (A11)



07 / 2017 -->

ALU WHEEL BEARING HOUSING



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
3	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
4	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
9	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
12	30VW1612	TCA Left		5Q0 407 151 M
13	30VW1613	TCA Right		5Q0 407 152 M
14	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
15	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E


VOLKSWAGEN

TIGUAN

TIGUAN (5N_)



09 / 2007 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 K
8	38AU1220	Silenblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
9	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
10	38VW1606	Silentblock for TCA		3C0 199 231 A


VOLKSWAGEN

TIGUAN

TIGUAN (AD1)
TIGUAN ALLSPACE (BW2)



02 / 2016 -->
03 / 2017 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20VW1200	Axial Joint		561 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
8	30VW1606	TCA Left		3Q0 407 151 E
9	30VW1607	TCA Right		3Q0 407 152 E
10	38AU1220	Silenblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
11	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
12	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E

VOLKSWAGEN

TOUAREG


TOUAREG (7LA, 7L6, 7L7)



10 / 2002 - 05 / 2010



--> 07 / 2007



NO	ASMETAL CODE	DESCRIPTION	MEASURES	
1	17AU1300	Tie Rod End Left	c:Ø16,5 th:FM16x1,5 RHT	7L0 422 817 D
2	17AU1301	Tie Rod End Right	c:Ø16,5 th:FM16x1,5 RHT	7L0 422 818 D
3	20AU1300	Axial Joint	th:MM16x1,5 RHT L:288,5mm	7L0 422 821
4	26AU1300	Stabiliser Link Rear Left	L:201mm	7L0 505 465 B
5	26AU1301	Stabiliser Link Rear Right	L:201mm	7L0 505 466 B

TOUAREG (7P5)



01 / 2010 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	
1	17AU1300	Tie Rod End Left	c:Ø16,5 th:FM16x1,5 RHT	7L0 422 817 D
2	17AU1301	Tie Rod End Right	c:Ø16,5 th:FM16x1,5 RHT	7L0 422 818 D
3	20AU1300	Axial Joint	th:MM16x1,5 RHT L:288,5mm	7L0 422 821


VOLKSWAGEN

TOURAN

TOURAN (1T1, 1T2, 1T3)



02 / 2003 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1600	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 365 C
2	10VW1601	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,4	1K0 407 366 C
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20AU1200	Axial Joint	th:MM16x1,5 RHT L:312mm	1K0 423 810 A
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1605	Stabiliser Link Rear	L:95,3mm	1K0 505 465 C
8	30VW1600	TCA Left		1K0 407 151 BC S1
9	30VW1601	TCA Right		1K0 407 152 BC S2
10	38AU3030	Silentblock for TCA	di:Ø12,2 do:Ø39,5	1K0 407 182
11	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
12	38VW1261	Silentblock for TCA		1K0 199 232 J
13	38VW1262	Silentblock for TCA		1K0 199 231 J



VOLKSWAGEN

TOURAN

TOURAN (5T1)



05 / 2015 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1605	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 366 B
2	10VW1606	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø15,2	3C0 407 365 B
3	17AU1200	Tie Rod End Right	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 812 J
4	17AU1201	Tie Rod End Left	c:Ø13,2 th:FM16x1,5 RHT	1K0 423 811 J
5	20VW1200	Axial Joint		561 423 810
6	26VW1600	Stabiliser Link	L:335mm	1K0 411 315 B
7	26VW1700	Stabiliser Link Rear	L:70mm Plastic	5Q0 505 465C
8	30VW1606	TCA Left		3Q0 407 151 E
9	30VW1607	TCA Right		3Q0 407 152 E
10	38AU1220	Silentblock for TCA	di:Ø14,2 do:Ø38,7	1K0 505 203 A
11	38AU3020	Silentblock for TCA	di:Ø12,2 do:Ø39,5	5Q0 407 182
12	38AU3021	Silentblock for TCA	di:Ø13,2 do:Ø65	5Q0 407 183 E

VOLKSWAGEN

TRANSPORTER

TRANSPORTER I
TRANSPORTER II



02 / 1962 - 12 / 1968
08 / 1968 - 09 / 1979

UPPER



LOWER




NO	ASMETAL CODE	DESCRIPTION	MEASURES	
1	10VW3010	Ball Joint	th:M18x1.5 RHT cp:1/10 cs:Ø19,6 do:Ø48,5	211 405 371 B

TRANSPORTER III



05 / 1979 - 08 / 1992



UPPER



LOWER



NO	ASMETAL CODE	DESCRIPTION	MEASURES	
1	10VW30	Ball Joint Upper	th:M16x1.5 RHT cp:1/10 cs:Ø18,1	251 407 361
2	10VW35	Ball Joint Lower	th:M18x1.5 RHT cp:1/10 cs:Ø19,62 do:Ø48,4	251 407 187
3	17VW1005	Tie Rod End	c:Ø12,5 th:FM14x1,5 RHT	171 419 812
4	20VW4005	Axial Joint	th:MM14x1.5 RHT L:386mm	251 419 821


VOLKSWAGEN

TRANSPORTER


TRANSPORTER IV --> CHAS. 70 - S -002 - 791




09 / 1990 - 08 / 1994




MS / LHD
--> Chas. 70 - M - 096 - 448




MS / LHD
Chas. 70-M-096-449 -- Chas. 70-S-002-791



MS / RHD
--> Chas. 70 - M - 096 - 448



MS / RHD
Chas. 70-M-096-449 -- Chas. 70-S-002-791



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
4	17VW32	Tie Rod End Right	c:Ø14,7 th:FM16x1,5 RHT	701 419 812 A
5	17VW33	Tie Rod End Left	c:Ø14,7 th:FM16x1,5 RHT	701 419 811 B
6	17VW34	Tie Rod End Right	c:Ø12,7 th:FM16x1,5 RHT	701 419 812
7	17VW35	Tie Rod End Left	c:Ø12,7 th:FM16x1,5 RHT	701 419 811 A
8	20VW40	Axial Joint	th:MM14x1.5 RHT L:292,5mm	701 419 810
9	20VW4001	Axial Joint	th:MM14x1.5 RHT L:299mm	701 419 810 B
10	26VW4000	Stabiliser Link	L:108,5mm	7D0 411 049
11	26VW4001	Stabiliser Link	L:108,5mm	701 411 049 B
14	38VW4001	Silentblock for Stabiliser Link	di:Ø18,5 do:Ø36	701 411 045
16	38VW4010	Stabiliser Mounting	di:Ø14,1 do:Ø45,5	701 411 041

VOLKSWAGEN

TRANSPORTER

TRANSPORTER IV --> CHAS. 70 - S -002 - 791



09 / 1990 - 08 / 1994

PS / LHD + RHD
--> Chas. 70 - M - 096 - 448



17VW35

7



20VW4001

9

9



20VW4001

6

17VW34

PS / LHD + RHD
Chas. 70-M-096-449 -- Chas. 70-S-002-791



17VW33

5



20VW4001

9

9



20VW4001

4

17VW32



29VW4033

13

12



29VW4032

UPPER



10VW36

1



10VW36



10VW37

2



10VW37

LOWER



10VW41

3



10VW41

15



38VW4005

NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW36	Ball Joint Upper	th:M16x1.5 RHT cp:1/10 cs:Ø20,3	701 407 187 B
2	10VW37	Ball Joint Upper	c:Ø14,7 th:FM16x1,5 RHT	701 407 187 B
3	10VW41	Ball Joint Lower	c:Ø14,7 th:FM16x1,5 RHT	701 407 361 B
4	17VW32	Tie Rod End Right	c:Ø12,7 th:FM16x1,5 RHT	701 419 812 A
5	17VW33	Tie Rod End Left	c:Ø12,7 th:FM16x1,5 RHT	701 419 811 B
6	17VW34	Tie Rod End Right	th:MM14x1.5 RHT L:292,5mm	701 419 812
7	17VW35	Tie Rod End Left	th:MM14x1.5 RHT L:299mm	701 419 811 A
9	20VW4001	Axial Joint	L:108,5mm	701 419 810 B
12	29VW4032	Tie Rod Right	L:108,5mm	701 419 804 A
13	29VW4033	Tie Rod Left		702 419 803 B
15	38VW4005	Silentblock for TCA	di:Ø14,1 do:Ø45,5	7D0 407 140 A


VOLKSWAGEN

TRANSPORTER


CHAS . 70-S-002-792 >----< CHAS. 70-T-199-999
TRANSPORTER IV




09 / 1994 - 12 / 1995




MS
LHD



MS
RHD



PS
LHD + RHD



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
4	17VW30	Tie Rod End Right	c:Ø14,65 th:FM16x1,5 RHT	701 419 812 B
5	17VW31	Tie Rod End Left	th:MM14x1.5 RHT L:292,5mm	701 419 811 C
6	20VW40	Axial Joint	th:MM14x1.5 RHT L:299mm	701 419 810
7	20VW4001	Axial Joint	L:108,5mm	701 419 810 B
8	26VW4000	Stabiliser Link	L:108,5mm	7D0 411 049
9	26VW4001	Stabiliser Link	di:Ø18,5 do:Ø36	701 411 049 B
10	38VW4001	Silentblock for Stabiliser Link	di:Ø14,1 do:Ø45,5	701 411 045
12	38VW4010	Stabiliser Mounting	di:Ø22	701 411 041

VOLKSWAGEN

TRANSPORTER


CHAS . 70-S-002-792 CHAS. 70-T-199-999

TRANSPORTER IV




09 / 1994 - 12 / 1995

UPPER



LOWER



NO	ASMETAL CODE	DESCRIPTION	MEASURES	
1	10VW36	Ball Joint Upper	th:M16x1.5 RHT cp:1/10 cs:Ø17,95 do:Ø45,55	701 407 187 B
2	10VW37	Ball Joint Upper	th:M16x1.5 RHT cp:1/10 cs:Ø17,95 do:Ø45,55	701 407 187 B
3	10VW41	Ball Joint Lower	th:M16x1.5 RHT cp:1/10 cs:Ø20,3	701 407 361 B
11	38VW4005	Silentblock for TCA	di:Ø14,1 do:Ø45,5	7D0 407 140 A


VOLKSWAGEN

TRANSPORTER

TRANSPORTER IV CHAS. 70 - T-200 - 000 -->



01 / 1996 - 04 / 2003



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW36	Ball Joint Upper	th:M16x1,5 RHT cp:1/10 cs:Ø17,95 do:Ø45,55	701 407 187 B
2	10VW37	Ball Joint Upper	th:M16x1,5 RHT cp:1/10 cs:Ø17,95 do:Ø45,55	701 407 187 B
3	10VW40	Ball Joint Lower	th:M16x1,5 RHT cp:1/10 cs:Ø20,3	7D0 407 361
4	17VW30	Tie Rod End Right	c:Ø14,65 th:FM16x1,5 RHT	701 419 812 B
5	17VW31	Tie Rod End Left	c:Ø14,65 th:FM16x1,5 RHT	701 419 811 C
6	20VW4001	Axial Joint	th:MM14x1,5 RHT L:299mm	701 419 810 B
7	26VW4000	Stabiliser Link	L:108,5mm	7D0 411 049
8	26VW4001	Stabiliser Link	L:108,5mm	701 411 049 B
9	38VW4000	Silentblock for TCA	di:Ø14 do:Ø40,5	701 407 183 C
10	38VW4001	Silentblock for Stabiliser Link	di:Ø18,5 do:Ø36	701 411 045
11	38VW4005	Silentblock for TCA	di:Ø14,1 do:Ø45,5	7D0 407 140 A
12	38VW4010	Stabiliser Mounting	di:Ø22	701 411 041


VOLKSWAGEN

TRANSPORTER

TRANSPORTER V (7H_, 7J_, 7E_, 7F_)



04 / 2003 - 08 / 2015



Max Weight 2.6 T / 3.0 T



Max Weight 3.2 T



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW4500	Ball Joint	th:M14x1.5 RHT cp:1/6 cs:Ø18,2	7H0 407 361
2	10VW4510	Ball Joint		7H0 407 361
3	17VW4500	Tie Rod End Left	c:Ø16,7 th:FM16x1,5 RHT	7E0 422 817 D
4	17VW4501	Tie Rod End Right	c:Ø16,7 th:FM16x1,5 RHT	7E0 422 818 D
5	20VW4500	Axial Joint	th:MM16x1,5 RHT L:179mm	7H0 419 803 B
6	26VW4500	Stabiliser Link	L:260mm	7H0 411 317
7	29VW4500	Tie Rod Left		7H0 419 803 D
8	29VW4501	Tie Rod Right		7H0 419 804 D
9	38VW4015	Silentblock for TCA	di:Ø14 do:Ø60	7H0 407 182
10	38VW4500	Silentblock for TCA		7H0 407 183
11	45VW4500	Strut Mount		7E0 412 331 A


VOLKSWAGEN

TRANSPORTER


TRANSPORTER VI (SG_, SF_)



04 / 2015 -->



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW4500	Ball Joint	th:M14x1.5 RHT cp:1/6 cs:Ø18,2	7H0 407 361
2	10VW4510	Ball Joint		7H0 407 361
3	17VW4500	Tie Rod End Left	c:Ø16,7 th:FM16x1,5 RHT	7E0 422 817 D
4	17VW4501	Tie Rod End Right	c:Ø16,7 th:FM16x1,5 RHT	7E0 422 818 D
5	20VW4500	Axial Joint	th:MM16x1,5 RHT L:179mm	7H0 419 803 B
6	26VW4500	Stabiliser Link	L:260mm	7H0 411 317
7	29VW4500	Tie Rod Left		7H0 419 803 D
8	29VW4501	Tie Rod Right		7H0 419 804 D
9	38VW4015	Silentblock for TCA	di:Ø14 do:Ø60	7H0 407 182
10	38VW4500	Silentblock for TCA		7H0 407 183
11	45VW4500	Strut Mount		7E0 412 331 A



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
6	38AU1200	Silenblock for TCA	di:Ø12 do:Ø32,6	357 407 182
7	38AU1205	Silenblock for TCA	di:Ø13 do:Ø60	1J0 407 181
8	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
9	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
10	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C

VOLKSWAGEN

UP

UP (121, 122, BL1, BL2)



12/2011 -->



2

38VW1271



2

38VW1271



1



38VW1270

38VW1270

NO	ASMETAL CODE	DESCRIPTION	MEASURES	
1	38VW1270	Strut Mounting	di:Ø32 do:Ø65,5	1J0 412 331 C
2	38VW1271	Strut Mounting Kit	di:Ø32 do:Ø65,5	1J0 412 331 C


VOLKSWAGEN

VENTO


VENTO (1H2)



11 /1991 - 09 / 1998



Exc. 2.0 GT / 2.8 VR6



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10VW1100	Ball Joint	c:Ø19	357 407 365 A
3	17VW1230	Tie Rod End Right	c:Ø12,4 th:FM14x1,5 RHT	6N0 422 812
4	17VW1250	Tie Rod End Left	c:Ø12,4 th:FM14x1,5 RHT	6N0 419 811
5	20VW1015	Axial Joint	th:MM14x1.5 RHT L:363mm	1H0 422 804 B*
6	26VW0100	Stabiliser Link	L:51,5mm	536 411 315
7	26VW1210	Stabiliser Link	L:77mm	191 411 315 B
8	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
9	38VW1010	Silentblock for TCA	di:Ø17 do:Ø60	191 407 181 D
10	38VW1020	Stabiliser Mounting	di:Ø19	1H0 411 314

VOLKSWAGEN



VENTO

VENTO (1H2)



11 /1991 - 09 / 1998

2.0 GT / 2.8 VR6



NO	ASMETAL CODE	DESCRIPTION	MEASURES	
2	10VW1105	Ball Joint	th:M12x1.5 RHT cp:1/10 cs:Ø16,4	1H0 407 365
8	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
9	38VW1010	Silentblock for TCA	di:Ø17 do:Ø60	191 407 181 D
11	38VW1025	Mounting Axle Body	di:Ø12,1	1H9 501 541 A

VOLKSWAGEN

VENTO



VENTO (60_)



04 / 2010 -->



PS - ELECT. / HYDRO.



NO	ASMETAL CODE	DESCRIPTION	MEASURES	OEM
1	10AU1200	Ball Joint Left	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 365 A
2	10AU1201	Ball Joint Right	th:M12x1.5 RHT cp:1/5 cs:Ø14,8	6R0 407 366 A
3	17VW2010	Tie Rod End Left	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 811
4	17VW2011	Tie Rod End Right	c:Ø13,2 th:FM14x1,5 RHT	6R0 423 812
5	20VW2020	Axial Joint	th:MM14x1.5 RHT L:312,5mm	6R0 423 810
6	26VW2010	Stabiliser Link	L:269,5mm	6R0 411 315
7	38AU1200	Silentblock for TCA	di:Ø12 do:Ø32,6	357 407 182
8	38AU2000	Stabiliser Mounting	di:Ø16	6Q0 411 314 P
9	38VW1010	Silentblock for TCA	di:Ø17 do:Ø60	191 407 181 D